

# Assessing the missed benefits of countries' national contributions

## Quantifying potential co-benefits

Authors:

Thomas Day, Niklas Höhne, Sofia Gonzales

# Assessing the missed benefits of countries' national contributions

## Quantifying potential co-benefits

---

### Project number

15005

© NewClimate Institute 2015 by order of

Climate Action Network (CAN) International and the Global Call for Climate Action (GCCA).



### Disclaimer

The methodologies presented in this report are based on a number of assumptions, and the results should be considered illustrative. The views and assumptions expressed in this report represent the views of the authors and not necessarily those of Climate Action Network.

Titelfoto: heckenschwein / photocase.com



Download the latest updates:

<http://newclimate.org/2015/03/27/indc-cobenefits/>

---

# Table of contents

- Tables ..... 3
- Figures ..... 4
- Executive summary ..... 5
- 1. Introduction ..... 7
- 2. Co-benefits of climate change mitigation ..... 8
- 3. Benefits and challenges of linking mitigation measures and co-benefits ..... 10
- 4. Methodologies for co-benefit quantification ..... 12
  - 4.1 Indicator calculation ..... 12
  - 4.2 Scenarios ..... 13
- 5. Illustrative results for co-benefits of INDCs ..... 14
  - 5.1 European Union ..... 14
    - 5.1.1 Reduced fossil fuel imports ..... 14
    - 5.1.2 Reduced air pollution ..... 16
    - 5.1.3 Creation of green jobs ..... 17
  - 5.2 United States ..... 19
    - 5.2.1 Reduced fossil fuel imports ..... 19
    - 5.2.2 Reduced air pollution ..... 21
    - 5.2.3 Creation of green jobs ..... 22
  - 5.3 China ..... 24
    - 5.3.1 Reduced fossil fuel imports ..... 24
    - 5.3.2 Reduced air pollution ..... 27
    - 5.3.3 Creation of green jobs ..... 28
  - 5.4 Canada ..... 29
    - 5.4.1 Reduced fossil fuel imports ..... 29
    - 5.4.2 Reduced air pollution ..... 31
    - 5.4.3 Creation of green jobs ..... 32
  - 5.5 Japan ..... 33
    - 5.5.1 Reduced fossil fuel imports ..... 33
    - 5.5.2 Reduced air pollution ..... 35
    - 5.5.3 Creation of green jobs ..... 36
  - 5.6 India ..... 37
    - 5.6.1 Reduced fossil fuel imports ..... 37
    - 5.6.2 Reduced air pollution ..... 39
    - 5.6.3 Creation of green jobs ..... 39
  - 5.7 Chile ..... 40
    - 5.7.1 Reduced fossil fuel imports ..... 40

5.7.2	Reduced air pollution .....	42
5.7.3	Creation of green jobs .....	42
5.8	South Africa .....	44
5.8.1	Reduced fossil fuel imports .....	44
5.8.2	Reduced air pollution .....	46
5.8.3	Creation of green jobs .....	47
6.	Summary and conclusions .....	48
	References .....	52
	Annex I – Scenarios .....	57
	Annex II – Indicator calculation methodologies .....	58
	Reduced fossil fuel imports .....	58
	Reduced air pollution .....	62
	Green jobs from renewable energy .....	66

# Tables

- Table 1: Co-benefits achieved in 2030 by INDCs compared to current policies trajectories ..... 5
- Table 2: *Additional* potential co-benefits in 2030 from strengthening INDCs to meet a 100% renewable trajectory ..... 6
- Table 3: Co-benefits achieved in 2030 by INDCs compared to current policies trajectories (per year) .... 48
- Table 4: *Additional* potential co-benefits in 2030 from strengthening INDCs to meet a 100% renewable trajectory ..... 48
- Table 5 Output indicators for reduced fossil fuel imports ..... 58
- Table 6 Data inputs for the calculation of reduced fossil fuel imports ..... 59
- Table 7 Output indicators for reduced air pollution ..... 62
- Table 8 Data input for the calculation of reduced air pollution ..... 63
- Table 9 Output indicators for reduced air pollution ..... 67
- Table 10 Employment factors for the renewable energy sector from various studies ..... 68
- Table 11 Data input to calculate employment generation ..... 69

## Figures

Figure 1 Missed benefits under different policy scenarios .....	10
Figure 2: Reduced coal demand in the EU power sector.....	15
Figure 3: Reduced oil demand for the EU transport sector.....	15
Figure 4: Reduced gas demand in the EU .....	16
Figure 5: Premature deaths from air pollution in the EU .....	17
Figure 6: Job creation from renewable energy in the EU .....	18
Figure 7: Reduced coal demand from the power sector in the U.S. ....	20
Figure 8: Reduced oil demand from transport in the U.S. ....	20
Figure 9: Reduced natural gas demand in the U.S. ....	21
Figure 10: Premature deaths from air pollution in the U.S. ....	22
Figure 11: Job creation from wind, solar and hydro energy in the U.S. ....	23
Figure 12: Reduced coal demand from power in China .....	25
Figure 13: Reduced oil demand from transport in China .....	25
Figure 14: Reduced demand for natural gas in China .....	26
Figure 15: Premature deaths from air pollution in China.....	27
Figure 16: Jobs created in wind, solar and hydro energy in China .....	28
Figure 17: Reduced coal demand in Canada's power sector .....	30
Figure 18: Reduced oil demand for Canada's transport sector.....	30
Figure 19: Reduced gas demand in Canada.....	31
Figure 20: Premature deaths from air pollution in Canada .....	32
Figure 21: Job creation from renewables in Canada .....	32
Figure 22: Reduced coal demand in Japan's power sector .....	34
Figure 23: Reduced oil demand for Japan's transport sector .....	34
Figure 24: Reduced gas demand in Japan .....	35
Figure 25: Premature deaths from air pollution in Japan .....	35
Figure 26: Job creation from renewables in Japan .....	36
Figure 27: Coal demand from power sector in India .....	37
Figure 28: Oil demand from transport sector in India .....	38
Figure 29: Reduced natural gas demand in India .....	38
Figure 30: Premature adult deaths prevented in India .....	39
Figure 31: Job creation from renewables in India .....	39
Figure 32: Coal demand from power sector in Chile.....	40
Figure 33: Oil demand from transport sector in Chile .....	41
Figure 34: Reduced natural gas demand in Chile .....	41
Figure 35: Premature adult deaths prevented in Chile.....	42
Figure 36: Job creation from renewables in Chile .....	43
Figure 37: Coal demand from power sector in South Africa .....	45
Figure 38: Oil demand from transport sector in South Africa .....	45
Figure 39: Reduced natural gas demand in South Africa .....	46
Figure 40: Premature adult deaths prevented in South Africa .....	46
Figure 41: Job creation from renewables in South Africa .....	47
Figure 42: Comparison of potential cost savings from fossil fuel imports in all countries .....	49
Figure 43: Comparison of potential prevention of premature deaths in all countries.....	49
Figure 44: Comparison of potential job creation from renewable energy in all countries .....	49
Figure 45 Reduced fossil fuel imports under different scenarios .....	60
Figure 46 Reduced air pollution under different scenarios.....	64
Figure 47: Green jobs created under different scenarios .....	69

## Executive summary

Countries are currently in the process of preparing and submitting their Intended Nationally Determined Contributions (INDCs) to the achievement of Article 2 of the United Nations Framework Convention on Climate Change (UNFCCC), which is for the stabilisation of atmospheric greenhouse gases (GHGs) at a safe level. In 2009, in Copenhagen, Parties to the UNFCCC agreed that a safe level for the stabilisation of atmospheric GHG concentration is a level which should not cause a global temperature increase in excess of 2°C compared to pre-industrial years. An increasing number of Parties and analysts now support a limit of 1.5°C, in light of more recent scientific analysis on the causes and effects of climate change.

Three major steps for the achievement of this target are the short-term phase out of fossil fuel production and consumption, increased installation of renewable energy generation capacities, and implementation of measures for increased energy efficiency.

Countries are expected to present contributions that are as ambitious as their national circumstances allow. A key consideration and constraint in this context is the perceived upfront costs associated with transitioning to a low carbon economy, including the gradual depreciating of unsustainable industries which often occupy a central position in a country's economic and political climate. An increasing volume of research from recent years demonstrates how a more serious consideration of the co-benefits of climate change mitigation action can bring down the perceived costs considerably, and even generate positive economy-wide returns.

This report first provides an overview of the general co-benefits that climate action may have and how they could be used to incentivise further ambitious GHG emission reductions.

For the submitted INDCs of the US, China, the EU, Canada, Japan, India, Chile and South Africa, the co-benefits of their mitigation targets with regards to cost savings from reduced fossil fuel imports, prevention of premature deaths from air pollution, and the creation of decent green jobs in the domestic renewable energy sector, are illustratively quantified using a simple method. Results of the analysis are summarised in Table 1.

Table 1: Co-benefits achieved in 2030 by INDCs compared to current policies trajectories

Co-benefit	EU	US	China	Canada	Japan	India	Chile	South Africa	Total
<b>Cost savings from reduced fossil fuel imports (bn USD)</b>	33	Reduced reliance on scarce fuels	Reduced reliance on scarce fuels	Reduced reliance on scarce fuels	8	2.5	0.8 - 2.9	1.5 - 5	<b>~ USD 50 billion</b>
<b>Prevented premature deaths from ambient air pollution</b>	6,000	7,000	100,000	100	1,500	28,000	200 - 700	300 - 1,500	<b>~ 150,000</b>
<b>Job creation from renewable energy</b>	70,000	470,000	500,000	3,000	No job gain	50,000	1,000 - 7,000	20,000 - 60,000	<b>~ 1.1 million</b>

Source: NewClimate Institute calculations. See section 5.

Moreover, the findings demonstrate the scale of the missed co-benefits, which could be achieved should the countries increase the ambition of their INDCs to meet a trajectory for 100% renewable energy by 2050, a trajectory in line with keeping temperature increase below 2°C, and possibly below 1.5°C. The results of this analysis are summarised in Table 2, and show that, in total for all the countries studied, the potential co-benefits that could be achieved through a 100% renewable trajectory are scales larger than those achieved by the current INDC submissions: for job creation, the total potential benefit is 3 times greater than the benefit achieved under the INDCs, whilst for cost savings and premature deaths from air pollution the total potential is over 10 times greater than the achieved benefits.

Table 2: *Additional* potential co-benefits in 2030 from strengthening INDCs to meet a 100% renewable trajectory

		Potential co-benefits in 2030 of a strengthened INDC which would meet a 100% renewable by 2050 trajectory								
		EU	US	China	Canada	Japan	India	Chile	South Africa	Total
Compared to the INDC scenario	Co-benefit									
	Cost savings from reduced fossil fuel imports (bn USD)	140	160	190	-	25	195	2.4	2	~ USD 715 billion
	Prevented premature deaths from ambient air pollution	40,000	20,000	1.1 million	700	15,000	1.3 million	800	1,200	~ 2.5 million
	Job creation from renewable energy	350k	180k	1.4 million	5k	67k	625k	4k	25k	~ 2.7 million
Compared to the current policies scenario	Co-benefit									
	Cost savings from reduced fossil fuel imports (bn USD)	170	160	190	-	33	197	5.3	7	~ USD 765 billion
	Prevented premature deaths from ambient air pollution	46,000	27,000	1.2 million	800	16,500	1.33 million	1,500	2,700	~ 2.6 million
	Job creation from renewable energy	420k	650k	1.9 million	8k	67k	675k	11k	85,000	~ 3.8 million

Source: NewClimate Institute calculations. See section 5.

Consideration of these co-benefits alongside climate change mitigation policy options are highly likely to decrease the perceived cost of climate change mitigation action, and demonstrate that climate change mitigation measures which achieve a 100% renewable trajectory are not only aimed at preserving the well-being of future generations, but may also generate positive economy-wide returns, rather than costs, for the current generation.



## 1. Introduction

Ahead of the next UNFCCC Conference of the Parties in Paris (COP21) in December 2015, governments are preparing their Intended Nationally Determined Contributions (INDCs). INDCs are a key input to the negotiations of a new international climate agreement that will be finalized at COP21 and come into effect in 2020. By designing ambitious INDCs over the next few months, countries have the opportunity to lay the foundation for a new climate agreement that sets the path towards maintaining temperature change below the internationally agreed limit of 2°C relative to pre-industrial levels, or even the 1.5°C limit supported by more than 100 countries in the UN climate negotiations.

Existing emission reduction commitments or pledges from countries that were put forward under the UNFCCC for the time leading up to 2020 – when the Paris agreement will take effect and the INDCs kick in - are not compatible with a 1.5°C or 2°C target<sup>1</sup>. INDCs can bring us closer to that target, but countries don't have to wait until 2020 to do more - especially as the latest science has confirmed that economies cannot prosper without mitigating and adapting to climate change. Furthermore, delaying the implementation of additional mitigation efforts now bares the risk of substantially increasing the costs of a transition to low emissions levels later, and could reduce the range of options consistent with maintaining temperature change below 1.5°C or 2°C (IPCC 2014).

It is up to each country to determine an ambition level for their INDC that reflects national priorities, capabilities and responsibilities. When formulating their plans, countries can consider the additional incentives that come with taking more ambitious action. Rigorous accounting of co-benefits of mitigation actions could be one way to help tip the balance towards more ambitious INDCs.

By 02 October 2015, 119 INDCs had been officially submitted to the UNFCCC INDC portal, representing a total of 147 Parties to the Convention. Collectively, the climate change mitigation ambition of these INDCs was projected by the Climate Action Tracker to result in a total warming effect of + 2.7°C (CAT 2015a). Whilst this is a long way from the 1.5°C limit supporting by many countries and observers, it represents considerable improvement on the Climate Action Tracker's projections in Lima, December 2014, based on the pledges at the time, which would have resulted in warming of + 3.1°C.

This report first provides an overview of the general co-benefits that climate action may have and how they could be used to incentivise further ambitious greenhouse gas (GHG) reductions. We then provide illustrative results for the forgone or missed benefits that could have been achieved with action to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), as compared to the current policies and the INDCs of USA, China, the EU, Canada, Japan, Chile, South Africa and India.

---

<sup>1</sup>The UNEP emissions gap report (UNEP 2014) finds a gap of 8 to 10 GtCO<sub>2e</sub> in 2020 between expected emissions and what would be necessary to be on track for 2°C. For 2030, the emissions gap is estimated to be 14-17 GtCO<sub>2e</sub> – but the emission reduction potential is also large enough to close the emissions gap (UNEP 2014).

## 2. Co-benefits of climate change mitigation

Policies that target climate change mitigation can positively or negatively influence the achievement of other goals that are important to society, such as food security, human health, energy access, energy security and environmental services (IPCC 2014). In this context, the benefits from mitigation policies are also labelled as co-benefits, acknowledging that most policies that reduce GHG emissions have other, often at least equally important, rationales. The integration of multiple objectives in policies can strengthen the support for such policies and increase the cost-effectiveness of their implementation. In the following we take a closer look at co-benefits of mitigation and their intersection with other important policy objectives, including air pollution and health, energy security, energy access, employment and ecosystem impacts.

### Air pollution and health

GHG emissions and air pollutant emissions often derive from the same sources, such as power plants, factories and cars. Hence, mitigation measures that reduce the use of fossil fuels typically have a large potential to also cut emissions of pollutants, which have a variety of detrimental impacts on health and ecosystem effects at various scales. The magnitude of these effects varies across pollutants and atmospheric concentrations and is due to different degrees of population exposure, whether indoor or outdoor or in urban or rural settings (IPCC 2014).

The World Health Organization (WHO, 2014) reports that in 2012 one in eight of total global deaths - around 7 million people - died as a result of air pollution exposure. This makes air pollution the world's largest single environmental health risk. About 4.3 million of the total premature deaths were caused by indoor air pollution, mostly from cooking and heating with solid fuels. Reducing air pollution could result in significant welfare gains. Recent climate mitigation scenarios have estimated global average health co-benefits of reduced air pollution at US\$50 to more than US\$200 per tonne of CO<sub>2</sub> avoided (The New Climate Economy 2014). In the US, for example, the introduction of a clean energy standard in the electricity sector could result in human health benefits of reduced air pollution that are worth US\$ 39 billion. A cap-and-trade system with economy wide caps could deliver net-co-benefits that amount to US\$ 125 billion (Thompson et al. 2014).

### Energy security

Energy security is a timeless and compelling policy goal that ranks high on the list of priorities of many countries. The International Energy Agency (IEA) defines energy security as the uninterrupted availability of energy sources at an affordable price. Mitigation strategies can have a positive impact on energy security by reducing the import dependency of countries and by increasing the resilience of energy systems through diversification of energy sources used in the transport and electricity sectors (IPCC 2014). The EU, for example, spends US\$ 1 billion a day on energy imports ((European Commission 2014b)

Policies that promote the increase of renewable energy in the national energy matrix are one way to increase energy security. By early 2014, at least 144 countries had renewable energy targets and 138 countries had renewable energy support policies in place. Growing number of cities, states and regions also seek to transition to 100% renewable energy in either individual sectors or economy wide (REN21 2014). However, with 82%, fossil fuels still remain at the heart of global energy use (IEA 2014f).

Energy efficiency policies adopted principally with the goal of advancing energy security can also lead to lower emission of GHGs and other pollutants.

## Energy access

Universal energy access is likely to have a small impact on GHG emissions (IPCC 2014), but it has a central role in helping to bring people out of poverty. To date, about 1.3 billion people have no access to electricity and 2.6 billion lack modern cooking facilities (IEA 2014f). More than 95% of this unmet demand is in sub-Saharan Africa or developing Asia, and 84% is in rural areas. Such energy poverty has a serious impact on peoples' livelihoods and is one of the key barriers to sustainable development. The strong correlation between poverty and a lack of access to modern energy is shown by the fact that countries, in which a large share of the population is living on an income of less than \$2 per day, tend to have low electrification rates and heavily rely on traditional biomass as a source of energy (OECD, ILO 2010). Providing reliable access to modern forms of energy is essential for the provision of services such as clean water, sanitation and health care and provides the basis for sustainable development through the provision of reliable and efficient lighting, heating, cooking, mechanical power, transport and telecommunication services.

## Employment

Assessing the employment benefits of mitigation is not straightforward. The creation of jobs in the renewable energy sector, for example, can lead to job losses in the fossil fuel industry. The International Labour Organization (ILO) (ILO 2013b), however, states that enough evidence is available that shows that climate change action does not need to threaten current jobs, but can, on the contrary, lead to more and decent jobs, poverty reduction and social inclusion. Important in this context is to ensure a just transition for workers into new jobs, for example, by providing social protection, securing rights and strengthening social dialogue.

Taking the renewable energy sector as an example, approximately 6.5 million people were working directly or indirectly in the sector in 2014, which is an increase of 12% compared to 2013 (IRENA 2014). The number of countries that have renewable energy targets indicates a large potential for further job creation in the sector over the coming years.

## Ecosystem impacts

Mitigation strategies can have a variety of ecosystem impacts when they alter the use of biodiversity, water and land. A thorough analysis of synergies and trade-offs between mitigation and other policy objectives is fundamental since ecosystems services are closely interlinked (IPCC 2014).

Land and forest restoration generate important co-benefits in terms of environmental services generation. Initiating forest restoration of at least 350 million hectares by 2030 could generate US\$170 billion/year in net benefits from watershed protection, improved crop yields and forest products (The New Climate Economy 2014). This would also sequester about 1–3 Gt CO<sub>2</sub>e/year as a climate benefit, depending on the areas restored. Looking at the agricultural sector, the restoration of just 12 percent of degraded agricultural land could reduce GHG emissions by almost 2 GtCO<sub>2</sub>e annually. The restored land has the capacity to feed 200 million people within 15 years and to boost smallholders' annual incomes by US\$ 35-40 billion (The New Climate Economy 2014).

### 3. Benefits and challenges of linking mitigation measures and co-benefits

Establishing the joint consideration of mitigation potentials and co-benefits as a “good practice” in the design of INDCs – and of mitigation policies and actions in general - could be beneficial from many points of view:

- **Highlighting co-benefits in the design of INDCs could increase the willingness to undertake ambitious mitigation actions.** Highlighting the links between GHG emission reduction and co-benefits, by expressing “emissions reduced” also as “benefits gained”, or a lack of ambition in emission reductions as forgone benefits or “benefits missed” (Figure 1), could help to depict the negative impacts of GHG emissions and the consequences of too little action. This, in turn, could increase the willingness of a society to invest in mitigation actions and, therefore, increase ambition levels.




Figure 1 Missed benefits under different policy scenarios

Figure 1 takes air pollution from fossil fuel burning as an example to illustrate how the lack of ambition of an INDC results in missed benefits, i.e. the reduction of premature deaths caused by air pollution exposure. Without policy interventions (brown line) that seek to reduce or eliminate the use of fossil fuels, air pollution will increase over the years. Under the INDC scenario, air pollution is reduced, for example, by implementing mitigation measures that increase energy efficiency or substitute fossil fuels by renewable energy sources. These measures also bring down the air pollution (upper shaded area). But additional air pollution could be avoided if the country strived for phasing out fossil fuels (lower shaded area).

- **The joint consideration of mitigation actions and co-benefits could increase the cost-effectiveness of policies.** Even though mitigation actions and their co-benefits are interdependent, policies around them are often designed in isolation or the design process is lacking inter-ministerial coordination. Integrated approaches that achieve related policy objectives simultaneously, for example, the reduction of GHG and air pollutant emissions, show higher cost-effectiveness than policies where objectives are achieved alone (IPCC 2014). However, weighting the costs of mitigation against multiple benefits for other objectives, which are traditionally measured in different units, is challenging in practice (IPCC 2014).

- ***Consideration of co-benefits could speed up the implementation of mitigation actions and thereby reduce the costs of climate change mitigation.*** Immediate mitigation action at levels that are compatible with a 2°C pathway will significantly reduce the costs of climate change compared to scenarios where action is delayed (IPCC 2014). Considering co-benefits and their welfare gains in the selection of mitigation measures could be a trigger for accelerating their implementation. Most aspects of mitigation co-benefits have short-term effects, but they support long-term mitigation policies by creating a central link to sustainable development objectives (IPCC 2014). Because of these features, co-benefits have a more “tangible” impact than emission reductions. Mitigation opportunities that also deliver important co-benefits can thus contribute not only to the 2°C objective but also to a national transformation of patterns of economic consumption and production which enables societies and economies to move to a sustainable development pathway, reducing poverty and creating inclusive growth.

In sum, the consideration of (the missed) co-benefits of ambitious greenhouse gas reductions can be a strong argument to trigger additional activities.

## 4. Methodologies for co-benefit quantification

Of the various co-benefits from greenhouse gas reduction policies described in section 2, we selected three for illustrative quantification: reduced fossil fuel imports, reduced air pollution and creation of green jobs. They were selected as they present very important arguments for action and at the same time can be quantified in a simplified manner.

We here briefly describe the methodology used. Details are provided in Annex I and Annex II.

### 4.1 Indicator calculation

#### Reduced fossil fuel imports

Many countries spend very significant amounts for the import of fossil fuels. This not only presents an economic burden but also a threat to energy security. The cost savings associated with the reduced imports of fossil fuels can be enormous, due to the reduced demand for these fuels in sectors due to reductions in energy demand and shifts to alternative sources of energy.

We consider reduced coal imports for power generation, reduced oil imports for transport and reduced natural gas demand for all sectors. We use projected market prices of these fuels from the International Energy Agency (IEA 2014f) to express the savings in monetary value.

#### Reduced air pollution

Assessing air pollution is complex. The level of air pollution depends on the emissions of many gases, technologies used and the weather conditions. Sophisticated models with high technological, temporal and spatial resolution can explain and project air pollution levels well. They also include the complex relationship between the level of air pollution and human health.

We have applied here a very simplified method to estimate the order of magnitude of the effects on human health. We assume that the level of air pollution is directly linked to energy related CO<sub>2</sub> emissions, because many air pollutants derive from fossil fuel combustion processes. We use a relationship between CO<sub>2</sub> emissions and pollution levels derived from country specific model runs. We also then assume a simple relationship between air pollution and health impacts applying standard factors from the literature. Due to these simplifications, our estimates can only be considered first order estimates to illustrate the order of magnitude. This approach reflects the number of premature deaths per year, and as such it underestimates the impacts on human health and the related costs from non-lethal conditions such as chronic and acute bronchitis, or asthma.

#### Creating of green jobs

Estimation of created jobs as a result of an activity is complex: the activity could directly create new jobs, but also could prevent the continuation of jobs elsewhere or could shift economic activity away from even more job intensive activities. In addition, jobs can have very different quality, e.g. varying pay grade, social conditions or permanence. The most sophisticated way to calculate the impact on jobs would be through economic models (usually input-output models) that take into account the various interactions between sectors of the economy. These models can be used to calculate job factors per activity, e.g. how many jobs are created for 1MW of wind capacity installed.

We use here a collection of these job factors to derive a first order estimate of the number of jobs created from renewable energy in the electricity sector. These factors are approximations and therefore do not include all possible feedbacks in the economy. For energy efficiency measures, we discuss the impact on green jobs only qualitatively, due to the complexity of the sector and no suitable simplified methodologies.

## 4.2 Scenarios

For each country we estimate three scenarios. We start with the “current policies scenario” that simulates the conditions expected in the country should it continue with its currently implemented policies, programmes and measures.

We compare this scenario to the INDC (or early announcements of it). The INDC is usually only given at the national level, but implementation per sector is needed to estimate the co-benefits. Where this is the case, we make assumptions on the possible implementation of the INDC per sector, drawing on the Climate Action Tracker analysis (CAT 2015a),

We finally also use a 100% renewable / 2°C compatible pathway defined as trajectory, which a country should take, if it is to be consistent with the internationally agreed goal to limit global temperature increase to less than 2°C. As an illustration, we define here as a pathway that leads from the current situation to 100% renewable energy supply by the year 2050. This includes possibly increased energy demand in some regions but stringent energy efficiency measures. While this pathway offers a very high likelihood to keep warming below the internationally agreed 2°C limit, it also means there is a 50 percent chance to keep warming below the tighter 1.5°C limit many advocate.

## 5. Illustrative results for co-benefits of INDCs

### 5.1 European Union

The EU was the second country to communicate an INDC in March 2014 to the UNFCCC. It put forward a binding target of **at least 40% aggregate domestic emissions reductions below 1990 levels by 2030**. The INDC itself does not provide a sectoral breakdown of the required reductions, but studies are available that led to this target and that provide further detail.

Based on our illustrative method, EU's INDC in comparison to current policies trajectory in 2030 will:

- Save an estimated USD 33 billion each year in reduced fossil fuel imports.
- Prevent in the order of 6,000 premature deaths each year from air pollution.
- Create an additional 70,000 full-time equivalent green jobs in the domestic renewable energy sector.

If the EU strengthened its INDC to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits:

- Save at least USD 140 billion each year in reduced fossil fuel imports in addition to the INDC reductions, in total savings of USD 173 billion each year compared to the current policies scenario.
- Prevent in the order of 40,000 premature deaths each year from air pollution additional to the INDC improvement, in total 46,000 deaths fewer than in the current policies scenario.
- Create approximately 350,000 FTE jobs in the domestic renewable energy sector additional to the INDC scenario, in total 420,000 million more jobs than in the current policies scenario.

#### 5.1.1 Reduced fossil fuel imports

The European Union imports fossil fuels to a large extent. The European Commission estimates that under current policies the cost for the import of fossil fuels will reach around 500 billion € in 2030 (European Commission 2013). It estimates that the implementation of the INDC would reduce fossil fuel imports by around EUR 10 billion per year in 2030 (European Commission 2013).

The following section provides an overview of our estimates from some of these imports by sector. They differ from the commission estimates due to our use of a simplified method and different reference scenarios, fuel prices and share of domestic production.

##### *Coal in the power sector*

In 2010, solid fuels accounted for 15.9% of the total gross inland energy consumption (European Commission 2013). According to the European Commission's 2013 assessment of the proposed INDC scenario, the reduction in coal use for primary energy consumption in 2030 of the INDC would only be small compared to the reference case for 2030. Compared to the reference case, coal will actually account for a slightly larger *share* of power generation under the INDC, although the *total amount* of energy demand will be considerably reduced.

Figure 2 shows that the **EU's INDC will reduce coal demand in 2030 by an estimated 10 Mtoe, resulting in a cost saving of around USD 1.8 billion in coal imports**. However, a further 40 Mtoe reduction in coal consumption from the INDC level would be required for a 100% renewable scenario. If the EU would



strengthen its INDC further in order to meet a 100% renewable trajectory, **a further USD 6.7 billion in cost savings per year through coal imports for the power sector could be achieved.**




Figure 2: Reduced coal demand in the EU power sector

### Oil in the transport sector

Oil accounted for 35.1% of gross inland energy consumption in 2010, and the volume of oil imports amounted to 94% of this total consumption (European Commission 2013). The transport sector accounts for nearly half of oil consumption in the European Union. Under the EU's INDC, the use of oil for primary energy demand in 2030 will be 9% lower than for the reference case for 2030. The results in this section assume that the overall energy sector trend remains constant for the transport sub-sector.

Figure 3 shows that **the EU's INDC will reduce oil demand in the transport sector in 2030 by an estimated 4 Mtoe, resulting in a cost saving of around USD 4 billion in oil imports.** A further 72 Mtoe reduction in oil consumption from the INDC level would be required for a 100% renewable scenario. By strengthening the INDC to meet the 100% renewable trajectory, the **EU could achieve a further USD 71.5 billion in cost savings per year through oil imports for the transport sector.**




Figure 3: Reduced oil demand for the EU transport sector

## Natural gas

Natural gas accounted for 25% of gross inland energy consumption in the EU in 2010 (European Commission 2013).

Under the scenario implied by the INDC, the EU will save USD 27 billion per year by 2030 through reducing gas imports by 52 Mtoe. The definition of a 100% renewable/ 2°C compatible scenario is subjective for natural gas, since different models attach different importance to natural gas as a reduced carbon alternative to coal and oil combustion. Therefore, Figure 4 shows the further savings that could be achieved if all of the cost effective potential to reduce gas consumption was taken (Bossman et al. 2012). As the figure shows, **further cost savings of USD 63 billion per year could be achieved through reduced imports** if these measures are taken.




Figure 4: Reduced gas demand in the EU

### 5.1.2 Reduced air pollution

Pollution levels have fallen considerably across the European Union in recent decades. Nevertheless, air pollution is the top environmental cause of premature death in Europe (EEA 2014). With our illustrative method we estimate that around 5% of all mortality from all causes in the EU in 2012 is attributable to the excessive ambient concentration of fine particulate matter (PM<sub>2.5</sub>).

We estimate that the EU's INDC could decrease 2012 concentrations of PM<sub>2.5</sub> by approximately half by 2030. As Figure 5 shows, the **EU's INDC would significantly reduce the number of premature deaths compared to 2012 and prevent in the order of 6,000 premature deaths per year** by 2030 compared to the current policies scenario. **If the EU would further strengthen its INDC to meet a 100% renewable trajectory, a further roughly 40,000 premature deaths could be avoided each year.**

The European Commission estimates that the benefit of the INDC over the reference is a reduction of 5.7 million life years lost due to PM<sub>2.5</sub> (European Commission 2013), page 66). This could translate into roughly 26,000 premature deaths per year, when we assume the commonly adopted rate of 12 lost life years per premature death attributable to PM<sub>2.5</sub> and assume that the figure is a cumulative value from 2012 to 2030.




Figure 5: Premature deaths from air pollution in the EU

### 5.1.3 Creation of green jobs

#### *Green jobs created in the renewable energy sector*

IRENA (IRENA 2014a) estimated that the European Union was home to around 1.2 million jobs related to renewable energy altogether in 2013. As shown in Figure 6, we estimate that 312,000 people were employed in the manufacturing, construction, operation and maintenance of domestic solar, wind and hydro-electricity installations in 2012. This does not include jobs created through the renewable energy technology export industry, jobs more broadly related to the renewables industry (e.g. research, consultation, project development etc.), or jobs associated with other renewable technologies, such as biomass.

The number of people employed in the sector in 2030 under the current policies trajectory will be moderately higher than in 2012, due mostly to the increased total capacity and the number of workers required for ongoing operation and maintenance. The INDC will boost this further by increasing the rate of installation of renewables, and therefore increasing the number of workers required for manufacturing and construction, as well as workers required for operation and maintenance of the total installed stock. The INDC is estimated to create 70,000 additional jobs compared to the current policies trajectory. If the EU were to substantially increase the rate of installation of renewables, to a level consistent with a 100% renewable trajectory, an estimated 350,000 additional jobs could be created.




Figure 6: Job creation from renewable energy in the EU

Our results are in line with the estimates of the European Commission, which estimates 32,000 additional jobs in the electricity sector for the INDC compared to the reference scenario (62,000 new jobs in renewable electricity supply are offset by 31,000 jobs lost in fossil fuel based and nuclear production (European Commission 2013), page 92).

### Green jobs created through energy efficiency measures

The European Commission's Impact Assessment (European Commission 2014a) analysed also the impact energy efficiency measures would have on net job creation. The INDC would create 273,000 additional jobs in the EU by 2030 compared to reference. This is an order of magnitude larger than for renewable energy in the electricity sector, since the energy efficiency measures are considered more labour intensive, e.g. renovation of buildings.

An alternative study quantifies the full employment impact of all efficiency measures (not only the impact of the INDC compared to a reference): If both direct and indirect jobs from improved energy efficiency are considered, the gross employment impact of these measures in the EU is up to 1.3 million jobs by 2030 (Ecofys et al. 2014). Indirect and induced jobs are created, for example, through energy savings that free up money for investments or consumption that leads to new jobs in the same or other sectors.

Looking at job creation from an investment point of view, IEA(2014b) estimates that approximately 8 to 27 job years could be created through every 1 million EUR investment in energy efficiency measures.

## 5.2 United States

In March 2015, the US officially submitted their INDC to the UNFCCC, with the **target to reduce emissions by 26% to 28% below 2005 levels by 2025**. We assume that INDC will be implemented in part through additional renewable energy as per the declaration under the 2013 President's Climate Action Plan to double the installed capacity of renewables by 2020.

Based on our illustrative method, the USA's INDC compared to current policies trajectory in 2030 would:

- Significantly reduce demand for domestically produced coal (132 Mtoe reduction) and gas (91 Mtoe reduction).
- Prevent in the order of 7,000 premature deaths each year from air pollution.
- Create an additional 470,000 full-time equivalent (FTE) green jobs in the domestic renewable energy sector.

If the US strengthened its INDC to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits:

- Save at least USD 160 billion each year in reduced oil imports in the transport sector.
- Prevent in the order of 20,000 premature deaths each year from air pollution additional to the INDC improvement, in total 27,000 deaths fewer than in the current policies scenario.
- Create approximately 180,000 FTE jobs in the domestic renewable energy sector additional to the INDC scenario, in total 650,000 million more jobs than in the current policies scenario.

### 5.2.1 Reduced fossil fuel imports

For reduced fossil fuel imports in the U.S., only oil for the transport sector is considered. This is due to the large volume of coal and natural gas produced in the U.S.; the U.S. is a net exporter of these fuels and reductions in domestic consumption would increase the volume available for export rather than decrease the volume imported. For completeness we still show coal and gas reductions in the section below in units of energy without a value in US\$.

#### *Coal in the power sector*

Coal accounted for 43% of power demand in 2012 in the United States (IEA 2014f). The United States is a major producer of coal, and therefore will not gain directly from reduced fossil fuel imports when reducing the demand for coal for power generation. However, reducing the dependence on coal has many potential benefits for the United States. Resource scarcity is already an issue and the costs of coal production will increase as resources in more remote areas are sourced. Reduced reliance on coal also holds great health benefits, primarily through air pollution (see section 5.2.2), and benefits for a transition to a greener and more sustainable labour force (see section 5.2.3).

The U.S. INDC is forecast to reduce coal demand by 132 Mtoe (189 million tonnes of coal equivalents, Mtce) per year by 2030 compared to the current policies scenario. A further 130 Mtoe (186 Mtce) of demand could be reduced if the INDC would be strengthened to meet a 100% renewable trajectory.




Figure 7: Reduced coal demand from the power sector in the U.S.

### Oil in the transport sector

Oil accounts for 97% of energy demand in the transport sector in the U.S. (IEA 2014f). In total, the sector account for 28% of national primary energy demand, and 72% of total oil consumption (IEA 2014f).

As Figure 8 shows, that in our interpretation the anticipated INDC of the USA includes no additional measures for the transport sector beyond the current policy reference. USA is unlikely to change its recently implemented new fuel economy standard for cars. We assume here it aims to achieve the INDC with measures in other sectors.

This leaves a sizeable gap between the INDC and a 100% renewable trajectory, which would require a further reduction of 159 Mtoe oil demand in the transport sector in 2030, with **potential cost savings of USD 158 billion per year from oil imports.**




Figure 8: Reduced oil demand from transport in the U.S.

## Natural gas

The United States is one of the world's major consumers of natural gas, which satisfied 28% of total primary energy demand in 2012 (IEA 2014f). Under current policies this share will persist and marginally increase to 30% by 2030. The U.S. is a net exporter of natural gas, and will not gain directly from import cost savings by reducing demand for natural gas. However, as in the coal sector, the U.S. has a great deal to gain from reducing its reliance on this scarce resource, from savings on increasing production costs, air pollution considerations (see section 5.2.2), and a shift to a more sustainable labour market (see section 5.2.3).

As Figure 9 shows, it is expected that the U.S.'s emission reductions under its INDC will be in part achieved by an increase in natural gas consumption to offset coal combustion. The figure therefore shows a small increase in demand of natural gas in the 2030 INDC scenario compared to the current policies scenario. If the ambition of the U.S. INDC were further strengthened to be in line with a **100% renewable trajectory**, **reductions in natural gas demand of 228 Mtoe/a compared to the INDC scenario would be possible.**




Figure 9: Reduced natural gas demand in the U.S.

## 5.2.2 Reduced air pollution

With our illustrative method, we estimate that 4% of all mortality from all causes in the U.S. is attributable to the exposure to excessive ambient concentration of fine particulate matter (PM<sub>2.5</sub>).

Under the current policies scenario, average ambient PM<sub>2.5</sub> exposure levels would decrease by around a third between 2012 and 2030. The U.S.' INDC could reduce the exposure level by roughly 40% by 2030 compared to 2012, whilst a 100% renewable trajectory would entail a reduction in PM<sub>2.5</sub> exposure of around 50%. Figure 10 shows that **the U.S.' INDC will prevent 7,000 premature deaths per year** by 2030 compared to the current policies scenario. If the INDC would be further strengthened to meet a 100% renewable trajectory, **a further 20,000 premature deaths could be avoided each year.**




Figure 10: Premature deaths from air pollution in the U.S.

### 5.2.3 Creation of green jobs

#### *Green jobs created in the renewable energy sector*

This study estimates that 297,000 people were employed in the manufacturing, construction, operation and maintenance of solar, wind and hydro-electricity installations in 2012 in the United States. This figure relates only to the specific job roles indicated and only for domestic installations. This is in line with other literature estimates, which calculate slightly larger employment levels when including all associated jobs within both the domestic and export industries. According to the Solar Foundation (2014), the solar industry employed 173,807 people by 2014, representing a growth rate of 21.8% compared to 2013. In 2013, the wind industry directly supported 55,500 jobs (AWEA 2015), while the hydropower industry supported 200,000 to 300,000 jobs (ACORE 2014).

As shown in Figure 11, the sector is estimated to employ fewer people in the job roles considered for this study in 2030 than in 2012 due to a significant decrease in jobs for manufacturing and construction. Under current policies, the US will install an average of around 5GW renewable energy capacity per year until 2030, compared to around 10GW per year between 2008 and 2012. **The INDC scenario**, reverses this trend significantly, and **will create an estimated additional 470,000 green jobs compared to current policies**, more than doubling the number of jobs in the sector compared to 2012. If the U.S. were to increase the ambition of its INDC further, in order to meet a **100% renewable trajectory**, a **further 180,000 jobs could be created**.






Figure 11: Job creation from wind, solar and hydro energy in the U.S.

### Green jobs created through energy efficiency measures

The American Council for an Energy Efficient Economy (ACEEE 2011) estimates that every US\$ 1 million in energy efficiency improvements supports around 20 jobs in the US economy, including direct, indirect and induced jobs. This is larger than the economy-wide average of 17 jobs supported per US\$ 1 million on investment.

A study on the socio-economic benefits from clean energy technology deployment finds that aggressive energy efficiency measures combined with a 30% renewable energy target in 2030 could generate over 4 million job-years by 2030 (Wei et al. 2010).

Looking at employment generation through energy efficiency measures by sector, the buildings sector is one of the largest sources for energy efficiency jobs in the US. Between 2009 and 2020, 600,000 to 900,000 national jobs could be created by retrofitting buildings for energy efficiency. The public transportation sector, which is another active sector for job creation in energy efficiency in the US, employed more than 400,000 Americans as of 2013. The US auto industry had added more than 263,000 jobs related to hybrid and electric vehicles by early 2013 (EESI 2014).

## 5.3 China

China's submitted its INDC to the UNFCCC officially in June 2015, after informally announcing the targets in November 2014. Included in the INDC are the targets to peak CO<sub>2</sub> emissions by 2030 or earlier, to increase non-fossil share of its primary energy to around 20% by 2030, and to reduce the economy's carbon intensity by 60-65% by 2030, compared to 2005 levels. Analysis from the Climate Action Tracker shows that there is some inconsistencies between the INDC targets: if the carbon intensity target were taken in isolation of the other targets, the result would be an emissions level above that projected under a current policies scenario. Under a scenario with implemented policies plus the 20% non-fossil fuel share target, emissions would be somewhat lower (CAT 2015a). We take the most effective target of the INDC, the 20% non-fossil fuel share, for the purpose of this analysis.

Based on our illustrative method, China's INDC in comparison to its current policies trajectory in 2030 will:

- Begin to reduce the country's reliance on coal for power generation (by 21%).
- Prevent in the order of 100,000 premature deaths each year from air pollution.
- Create an additional 500,000 full-time equivalent (FTE) green jobs in the domestic renewable energy sector.

If China strengthened its INDC to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits:

- Save at least USD 190 billion each year in reduced fossil fuel imports.
- Prevent in the order of 1.1 million premature deaths each year from air pollution additional to the INDC improvement, in total 1.2 million deaths fewer than in the current policies scenario.
- Create approximately 1.4 million FTE jobs in the domestic renewable energy sector additional to the INDC scenario, in total 1.9 million more jobs than in the current policies scenario.

### 5.3.1 Reduced fossil fuel imports

#### *Coal from the power sector*

Coal is by far the major source of power generation in China, fuelling 87% of the power demand (IEA 2014f), and accounting for nearly half of global coal consumption (US EIA 2014). Furthermore, energy demand for power will nearly double between 2012 and 2030, despite considerable forecast improvements in energy efficiency. Accordingly, China has become the world's largest producer of coal in recent years. Because of its status as a major producer of coal covering all of its domestic demand, China does not stand to gain directly from the economic benefit of reduced fossil fuel imports in the power sector. However, a reduction in the dependence on coal carries multiple other benefits for China: energy security is threatened by reserve depletion, and the marginal costs of production will become increasingly expensive as the accessibility of coal reserves deteriorates. The creation of decent green jobs associated with a shift away from coal is also explored in section 5.3.3, below.

Figure 12 shows that **the INDC achieves a 333 Mtoe reduction in coal dependency each year by 2030**. If China's targets would be further strengthened to meet a 100% renewable trajectory, **a further 399 Mtoe per year reduction in coal dependency would be possible**.




Figure 12: Reduced coal demand from power in China

### Oil from the transport sector

Due to rapid economic growth and a boom in personal car ownership in the past two decades in China, energy demand from the transport sector increased by nearly 700% between 1990 and 2012; oil accounted for 92% of this energy demand in 2012, and China became the world's greatest importer of oil in 2014 (US EIA 2014). The energy demand of the sector under current policies is forecast to nearly triple again by 2040 (IEA 2014f).




Figure 13: Reduced oil demand from transport in China

China's INDC is not sector specific. We assume here that it does not include specific measures for the transport sector that go beyond current policies as China already has fuel efficiency standards. For this reason, Figure 13 shows no distinction between current policies and the INDC scenario. Oil demand under the INDC in 2030 is more than double the demand in 2012. Indeed, demand in 2030 is also significantly

higher than in 2012 in the 100% renewable scenario, recognising the major increase in transport activity in China. However, it must be noted that China’s current policies have made a significant positive impact on the reduction of oil demand compared to a scenario under which these policies would not exist, although such a scenario could not be modelled. In particular, China’s policies on light duty vehicle fuel efficiency and emissions will make an enormous impact on fuel consumption and emissions, which would otherwise be much higher in 2030. However, a gap still exists between the INDC and 100% renewable scenarios. **Closing this gap would save an estimated 138 Mtoe of oil imports in 2030 with cost savings of USD 137 billion per year, compared to the INDC scenario.**

*Natural gas*

Although natural gas accounted for just 4% of China’s total energy demand in 2012, the production and consumption of gas is forecast to triple by 2040, as part of the national strategy to reduce the country’s reliance on heavily polluting coal consumption. China was a net gas exporter until 2007, since when its imports have increased rapidly to meet the significant increase in consumption (IEA 2014f).

Under current policies, demand for natural gas by 2030 would have increased by over a factor of 25 compared to 1990 levels. By this time, gas will be the third major provider of energy in China, after coal and oil. Under China’s INDC, a significant increase in the demand of natural gas is forecast, in order to offset the need for coal combustion, which has a higher emissions intensity. This will require an estimated 146 Mtoe increase in natural gas demand per year, carrying an increase in the cost of natural gas imports of approximately USD 67 billion per year.

By increasing the ambition of its INDC to match a 100% renewable scenario, **China would save 111 Mtoe of natural gas in 2030, with potential savings from imports of USD 51 billion per year.**




Figure 14: Reduced demand for natural gas in China

### 5.3.2 Reduced air pollution

As a result of its rapidly expanding economy and industrial developments, China has positioned itself as one of the world's economic powerhouses, and a number of megacities have developed in China since 1990 in response to the rapid urbanisation of the world's most populous country. Such a rapid expansion has been fuelled by tremendous increases in energy consumption, and subsequently to rapid increases in the emissions of air pollutants; the total emission of air pollutants in China was approximately 4 times larger in 2012 than in 1990 (IEA 2014f). Air pollution has become one of the major environmental and social concerns in China, and many Chinese cities report some of the world's highest concentrations of PM. IRENA (2014a) estimates that the health impacts of particulate matter air pollution add up to over 8% of China's GDP. Concerns over air pollution have become a major driver for climate change mitigation policy in the country.

Our illustrative calculations indicate that nearly a third of all cause deaths in China in 2012 could be linked to exposure to excessive concentrations of particulate matter. This study finds that ambient air pollution accounted for in the order of 1.7 million premature deaths in China in 2012. For comparison, the 2010 Global Burden of Disease report in the Lancet estimated premature deaths from fine particulate matter in China in 2010 to be in the range of approximately 1.1 and 1.4 million (Lozano et al. 2012). Some other studies estimate considerably fewer deaths. Amongst other differences, these figures are highly dependent on assumptions regarding the baseline average exposure to PM<sub>2.5</sub> in 2012; the availability of reliable and accurate data on PM<sub>2.5</sub> concentrations in China remains relatively poor, and the data variation between literature sources is considerable. Data from the World Bank's World Development Indicators was taken in order to be consistent with assumptions for the US and the EU, but assuming the average exposures given in some other sources could have reduced the number of calculated deaths in this instance by up to 40%.

Although CO<sub>2</sub> emissions are expected to considerably increase between 2012 and 2030, emissions of local air pollutants will remain relatively constant, or marginally decline according to estimates (IIASA 2012a). However, the number of premature deaths in China are still forecast to increase between 2012 and 2030 due to population growth, urbanisation, and an increase in the crude mortality rate due in part to an ageing population. By 2030, the number of annual premature deaths due to PM<sub>2.5</sub> exposure could reach nearly 3 million. **China's INDC could save in the order of 100,000 premature deaths per year** compared to the current policies scenario. Moreover, if China would strengthen its INDC to meet a **100% renewable trajectory, a further 1.1 million premature deaths could be spared each year by 2030**.




Figure 15: Premature deaths from air pollution in China

### 5.3.3 Creation of green jobs

#### Green jobs created in the renewable energy sector

We estimate that China required an estimated 1.5 million full-time equivalent (FTE) jobs in 2012 for the manufacturing, construction, operation and maintenance of domestic solar, wind and hydro-electricity installations in 2012. This estimate does not include jobs for China’s significant renewable energy technology export industry. According to IRENA (IRENA 2014a), approximately 2.64 million people were employed in the renewables sector altogether in 2013. Although the current policies trajectory increases the speed of renewable energy capacity installation marginally, the number of jobs in the sector in China may decrease significantly by 2030 as the employment factor per GW of installed energy falls due to the trend of labour de-intensification in the region (Rutovitz & Harris 2012). **The anticipated INDC advances substantially on the current policies trajectory with an additional 500,000 jobs by 2030**, although this may still entail marginal job losses in the sector between 2012 and 2030. If China were to increase the stringency of their INDC to embark on a 100% renewable trajectory, **a further 1.4 million additional green jobs could be created by 2030, taking the total number of full time equivalent jobs to over 2.6 million.**




Figure 16: Jobs created in wind, solar and hydro energy in China

#### Green jobs created through energy efficiency measures

In general, very little information is yet available on the job creation potential of improved energy efficiency. This is also the case for China. Large growth rates in jobs in the renewable energy sector over the last few years have demonstrated how quickly China converts the renewable energy potential into new jobs. Improved energy efficiency has as well an important potential for direct, indirect and induced employment generation in China. The largest users of energy are the industry and transport sector, followed by the buildings sector (IRENA 2014b). Residential energy use, for example, accounts for 86% of the total energy use, with the remainder accounted for in the commercial sector. In this sector, the greatest potential for energy efficiency improvements is in ensuring high energy efficiency standards for new construction (Amecke et al. 2013), which have a large potential for local job creation.

## 5.4 Canada

In May 2015, Canada announced a **target of 30% aggregate national greenhouse gas emissions reductions below 2005 levels by 2030** (Government of Canada 2015). Canada stated that it would use forestry accounting and international credits to partially meet the target of this intended nationally determined contribution (INDC) to the new global climate change agreement. In comparison to a current policies trajectory in 2030, according to our illustrative method, Canada's INDC would:

- Reduce fossil fuel dependency by at least 8 Mtoe.
- Prevent in the order of 100 premature deaths each year from air pollution.
- Create approximately 3,000 new jobs in the domestic renewable energy sector.

If Canada strengthened its INDC to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits:

- Reduce fossil fuel dependency by at least 21 Mtoe additional to the INDC reductions, in total 29 Mtoe from the current policies scenario.
- Prevent in the order of 700 premature deaths each year from air pollution additional to the INDC improvement, in total 800 deaths fewer than in the current policies scenario.
- Create approximately 5,000 jobs in the domestic renewable energy sector additional to the INDC scenario, in total 8,000 more jobs than in the current policies scenario.

### 5.4.1 Reduced fossil fuel imports

Because of its significant domestic production of coal, oil and natural gas, Canada will not generate direct cost savings from reduced fossil fuel imports. However, reducing the dependence on these fuels carries multiple benefits for Canada, including improved long term energy security, and the creation of decent green jobs associated with a shift away from fossil fuels.

#### *Coal in the power sector*

Coal accounted for 10% of electricity generation in 2012 (IEA 2014a), but this figure is set to fall as Canada increases the share of natural gas and renewables, as indicated by demand reduction by 2030 in Figure 17.

Policies and measures for electricity generation that are compatible with the reduction target in **Canada's INDC would reduce coal demand further, by around 1 Mtoe per year**. If Canada strengthened its INDC to meet a 100% renewable trajectory, **a further 3 Mtoe reduction per year could be achieved, making a total of 4 Mtoe compared to current policies**.




Figure 17: Reduced coal demand in Canada's power sector

### Oil in the transport sector

Oil demand for transport is projected to increase up to 2030 under current policies. Figure 18 shows that **Canada's INDC could reduce oil demand from transport by 6 Mtoe in 2030**. An **additional reduction of 16 Mtoe could be realised if Canada strengthened its INDC** to meet a 100% renewable trajectory, making a total reduction of 22 Mtoe in 2030 compared to the current policies scenario.




Figure 18: Reduced oil demand for Canada's transport sector



## Natural gas

Canada's consumption of natural gas is expected to remain fairly constant up to 2030, despite anticipated reductions in total national energy demand, due to the increasing share that gas is projected to take across several sectors, including electricity production, industrial energy, and residential heating (Government of Canada 2014). Therefore, only very modest reductions are calculated for this fuel, as shown in Figure 19. **Canada's INDC would reduce gas consumption by 1 Mtoe beyond the current policy scenario. A further reduction of approximately 2 Mtoe could be possible if Canada strengthened its INDC to meet a 100% renewable trajectory, making a total reduction of 3 Mtoe per year compared to current policies.**



Figure 19: Reduced gas demand in Canada

### 5.4.2 Reduced air pollution

According to the World Development Indicators (World Bank 2013), and the Ambient Air Pollution Database (WHO 2014), Canada has one of the world's lowest average concentrations of ambient particulate matter. Therefore, the number of annual premature deaths attributable to ambient air pollution, estimated at roughly 3,500 in 2012, is relatively low compared to other large industrialised countries.

Figure 20 shows that the number of premature adult deaths attributable to outdoor air pollution will decline slightly between 2012 and 2030, due to improving ambient air quality. **The INDC improves further on this progression, preventing around 100 deaths per year by 2030**, compared with the current policies scenario. **Strengthening the INDC further to meet a 100% renewable trajectory could prevent an additional 700 premature deaths each year**, or a total of 800 deaths in 2030 compared to a current policies scenario. This is approximately 1,000 fewer annual deaths than in 2012.




Figure 20: Premature deaths from air pollution in Canada

### 5.4.3 Creation of green jobs

Clean Energy Canada (2014) report a rapid growth in employment in the renewable energy sector in recent years: 37% more Canadians worked in renewable energy in 2013 than in 2009, largely due to provincial commitments, particularly in Ontario. The number of new direct clean energy jobs created in 2013 outstripped by 6% those generated by the oil sector, and the employment returns for investment in renewable energy were far greater than for investments in oil.

As shown in Figure 21, forecast investments in renewable energy would account for approximately 63,000 full-time equivalent jobs in Canada by 2030, under a current policies scenario. This would be a considerable development from 2012, which reflects the increasing rate of renewable energy capacity installation under current policies up to 2030, compared with the period between 2005 and 2012. **Policies to implement the INDC would generate an additional 3,000 jobs per year. Strengthening the INDC to meet a 100% renewable trajectory could result in the creation of around 5,000 additional jobs**, or a total of 8,000 additional jobs in 2030 compared to current policies.




Figure 21: Job creation from renewables in Canada

## 5.5 Japan

Japan published its INDC to the UNFCCC in July 2015. The INDC includes a **target of 26% aggregate emissions reductions below 2013 levels by 2030** (Government of Japan 2015). This includes a 25% reduction on energy related CO<sub>2</sub> emissions below 2013, and an increase in the share of renewable energy for power generation to between 22% and 24%. In comparison to a current policies trajectory in 2030, according to our illustrative method, the full implementation of Japan's INDC would:

- Save at least USD 8 billion each year in reduced fossil fuel imports.
- Prevent in the order of 1,500 premature deaths each year from air pollution.
- Create no additional green jobs in domestic renewable energy

If Japan strengthened its INDC to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits:

- Save at least USD 25 billion each year in reduced fossil fuel imports additional to the INDC reductions, in total USD 33 billion from the current policies scenario.
- Prevent in the order of 15,000 premature deaths each year from air pollution additional to the INDC improvement, in total 16,500 deaths fewer than in the current policies scenario.
- Create approximately 67,000 jobs in the domestic renewable energy sector additional to the current policies and INDC scenarios.

### 5.5.1 Reduced fossil fuel imports

Japan is a major importer of fossil fuels. In 2011, domestic production accounted for 0.4% of crude oil and 3.1% of natural gas supply, whilst domestic coal production ceased in 2002 (Government of Japan 2013). Furthermore, since the East Japan earthquake in 2011, fossil fuel demand is significantly increasing to compensate for the reduction of nuclear supply.

#### *Coal in the power sector*

Coal accounted for 32.8% of power generation in 2012, up from 14.4% in 1990 (IEA 2014f). Figure 22 shows that **Japan's INDC would reduce coal demand in 2030 by an estimated 11 Mtoe, resulting in a cost saving of around USD 2 billion**. However, the INDC plan envisages a significant restart of nuclear power generation, and the proportion of coal-fired power will increase significantly if this is not realised. **A further 34 Mtoe reduction in coal consumption from the INDC level would be possible through a 100% renewable scenario, equivalent to further potential cost savings of USD 6 billion a year**. This would be a total saving in of 45 Mtoe in 2030, or USD 8 billion, compared to current policies.




Figure 22: Reduced coal demand in Japan's power sector

### Oil in the transport sector

Oil accounted for 46.5% of total primary energy consumption in 2012, and 97% of energy consumption for transport (IEA 2014f). Figure 23 shows that **Japan's INDC will reduce oil demand for transport in 2030 by an estimated 3 Mtoe, resulting in a cost saving of around USD 2 billion** in oil imports. A further 9 Mtoe reduction in oil consumption from the INDC level would be possible through a 100% renewable scenario with **further savings of approximately USD 7 billion per year** through oil imports for the transport sector. This would be a total saving of 12 Mtoe of oil in 2030, or USD 9 billion, compared to current policies.




Figure 23: Reduced oil demand for Japan's transport sector

## Natural gas

Japan is increasingly relying on natural gas. Although it accounted for just 10% of total primary energy supply in 1990, it is now forecast under current policies to account for 21.9% by 2030. Figure 24 shows that under the scenario implied by the INDC, **Japan will save USD 4 billion per year by 2030** through reducing gas imports by 6 Mtoe. If Japan were to strengthen the INDC further to meet a 100% renewable trajectory, natural gas consumption could be reduced further by an additional 18 Mtoe of natural gas in 2030, equating to **further potential cost savings of approximately USD 12 billion per year**. This would be a total saving of 24 Mtoe of oil in 2030, or USD 16 billion, compared to current policies.




Figure 24: Reduced gas demand in Japan

### 5.5.2 Reduced air pollution

In response to the UN Environmental Assembly's call for action against the rising burden of ambient air pollution in Asia, Japan's Ministry of Environment launched a plan with UNEP in July 2014 to tackle air pollution in the region. This is reflected in the already significant reduction of ambient air pollution projected for 2030 in the current policies scenario compared to 2012, resulting in a reduction of approximately 25,000 premature deaths per year according to our illustrative methodology, as shown in Figure 25. **A further reduction of around 1,500 deaths annually is achieved with the INDC in 2030**, whereas strengthening this commitment to be **in line with a 100% renewable trajectory could prevent around 15,000 additional premature deaths** every year.




Figure 25: Premature deaths from air pollution in Japan

### 5.5.3 Creation of green jobs

In 2012, Japan accounted for 5% of global PV manufacturers. Estimates from IRENA (IRENA 2014a) indicate that around 40,000 people are employed in the PV industry in Japan. Given that the illustrative method of this study accounts for only jobs for *domestic* renewable installations, and does not account for the export sector, this is in line with the results shown in Figure 26 which indicate around 45,000 full-time equivalent jobs across the entire renewables sector in 2012.

Under a current policies scenario, investments in renewable energy will generate approximately 70,000 additional jobs by 2030. Figure 26 shows that the INDC would have a negligent impact on job creation compared to current policies, since energy efficiency measures under the INDC would reduce the total electricity generation in 2030 and also the absolute amount generated from renewables (although the *share* of renewables increases marginally). However, if Japan were to strengthen the INDC to meet a 100% renewable scenario, the impact on job creation would be significant, with approximately 67,000 additional jobs created, compared to the INDC scenario.




Figure 26: Job creation from renewables in Japan

## 5.6 India

India submitted its INDC to the UNFCCC in October 2015. Related to the energy sector, the INDC includes a target to reduce emissions intensity by 33% to 35% by 2030, compared to 2005 levels, and to increase the share of non-fossil fuel electricity generation capacity to 40% by 2030. The emissions intensity target alone is understood to result in an emissions target that is weaker than the current policies trajectory (CAT 2015a). However, the 40% non-fossil fuel electricity generation capacity target will make a marginal impact to decrease energy related emissions. In comparison to a current policies trajectory, according to our illustrative method, achieving the renewable energy capacity target of the INDC would:

- Save at least USD 2.5 billion each year in reduced fossil fuel imports.
- Prevent in the order of 28,000 premature deaths each year from air pollution.
- Create 50,000 additional green jobs in domestic renewable energy.

If India was to increase the ambition of the projected INDC range to meet a trajectory towards 100% renewables by 2050 (in line with keeping global warming below 2°C and possibly even 1.5°C), it could achieve the following benefits in 2030, in addition to those achieved by the INDC:

- Save at least USD 195 billion annually in reduced fossil fuel imports.
- Prevent in the order of 1.3 million premature deaths each year from air.
- Create approximately 625,000 jobs in the domestic renewable energy sector.

### 5.6.1 Reduced fossil fuel imports

In 2012, India had the third largest energy demand in the world after China and the United States. The country's energy demand more than doubled from 317 Mtoe in 1990 to 788 Mtoe in 2012 (IEA 2014f). With India's economy growing, poverty levels decreasing and access to energy improving, growth of the country's energy demand is inevitable.

#### Coal in the power sector




Figure 27: Coal demand from power sector in India

Coal is the primary source of energy in India. Representing 45% of India's total energy demand in 2012 and 81% of generated power in 2012 (IEA 2014f), coal is a key cornerstone of India's energy supply. In 2012, India produced approximately 85% of its coal demand domestically (IEA 2014c). However, since coal production is not projected to increase at a rate comparable to increased demand, India is forecast to become one of the world's most import dependent countries, with imports of coal in excess of 300 Mtoe in 2030 (McKinsey & Company 2014). Therefore, the projected reductions in coal demand under the scenarios presented in Figure 45 will result in cost savings. Figure 45 illustrates that India's INDC would reduce coal demand only very marginally in 2030, by an estimated 7 Mtoe, resulting in a cost saving of around USD 1 billion. A further 295 Mtoe reduction in coal consumption from the INDC level would be possible through a 100% renewable scenario, equivalent to further potential cost savings of USD 50 billion

a year. This would be a total reduction of just over 300 Mtoe of coal in 2030, corresponding to around USD 51 billion in cost savings, compared to current policies.

*Oil in the transport sector*




Figure 28: Oil demand from transport sector in India

India’s demand for oil has been increasing significantly over the last two decades. Oil accounted for 22% of India’s total primary energy demand in 2012, making India the world’s 4<sup>th</sup> largest oil consumer and also the 4<sup>th</sup> largest importer (IEA 2014f). Figure 28 illustrates that India’s INDC would represent no reductions from oil consumption in transport in 2030 compared to current policies, since the only component of the INDC understood to be additional to current policies is the non-fossil fuel electricity generation target, which does not directly affect the transport sector. Through a 100% renewable scenario, a reduction of 95 Mtoe in oil consumption would be possible with savings of about USD 95 billion per year coming from reduction in oil imports for the transport sector.

*Natural gas*




Figure 29: Reduced natural gas demand in India

India’s gas demand was 49 Mtoe in 2011 and accounted for 6% of India’s energy mix (IEA 2014f). The country’s domestic hydrocarbon reserves are relatively small, which results in increasing dependence on imports and concerns over energy security (IEA 2012). Demand for natural gas is expected to more than double between 2012 and 2030 in India’s current policies scenario. As illustrated in Figure 28, India’s INDC would represent a reduction of 2 Mtoe which translates into savings of about USD 1.5 billion annually. An additional 75 Mtoe reduction would be possible with a 100% renewable target with further savings of around USD 50 billion annually. This would mean a total reduction of 77 Mtoe of natural gas by 2030, corresponding to USD 52 billion, compared to the current policies.



### 5.6.2 Reduced air pollution

A 2014 WHO survey found that Delhi, the Indian capital, was the most polluted city in the world, with an annual average Particulate Matter 2.5 concentration of 153 ug/m3. Figure 30 shows that under current policies, the number of premature deaths will roughly triple between 2012 and 2030. Under the INDC scenario, approximately 28,000 premature deaths could be prevented each year by 2030, compared to the current policies scenario. Strengthening this commitment to be in line with a 100% renewable trajectory could prevent around 1.3 million additional premature deaths every year.




Figure 30: Premature adult deaths prevented in India

### 5.6.3 Creation of green jobs

Under current policies, employment opportunities in the renewable energy sector are projected to almost triple up to 2030, as shown in Figure 31. India's INDC would create 50,000 additional full time jobs by 2030, compared to current policies. However, if the country were to strengthen the projected INDC to meet a 100% renewable scenario, the impact on job creation would be significant, with approximately 625,000 additional jobs created compared to the INDC scenario, or a total of 675,000 new jobs compared to current policies.




Figure 31: Job creation from renewables in India

## 5.7 Chile

Chile published its INDC in September 2015. Chile's INDC includes an unconditional target (shown in graphs as INDC B) to cut the greenhouse gas (GHG) intensity of its economy (that is, reduce the amount of GHG emissions per unit of Gross Domestic Product (GDP)) by 30% by 2030, compared to 2007. A further target, conditional to support (in graphs as INDC A), is to reduce GHG emissions intensity by up to 45%. In comparison to a current policies trajectory in 2030, according to our illustrative method, implementation of Chile's INDC would:

- Save between USD 0.8 billion (unconditional target) and USD 2.9 billion (conditional target) each year in reduced fossil fuel imports.
- Prevent between in the order of 200 (unconditional target) and 700 (conditional target) premature deaths each year from air pollution.
- Create between 1,000 (unconditional target) and 7,000 (conditional target) additional green jobs in domestic renewable energy

If Chile strengthened its INDC to a trajectory for 100% renewables by 2050 (thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits in addition to those achieved by the more ambitious end of the conditional target:

- Save USD 2.4 billion annually in reduced fossil fuel imports.
- Prevent in the order of 800 premature deaths each year from air pollution.
- Create approximately 4,000 jobs in the domestic renewable energy.

### 5.7.1 Reduced fossil fuel imports

Chile is one of the major consumers of fossil fuels in the Americas, although, unlike its regional neighbours, Chile meets very little of this demand from domestic sources.

#### *Coal in the power sector*

Chile faced a complex energy situation in the past decade, including electricity rationing caused by severe drought in the late 1990s, unexpected restrictions in the supply of natural gas from Argentina since 2004, and the lower rainfall of recent years. As a result, the country has transitioned to power generation mainly based on coal and diesel (Chile 2012). Figure 32 illustrates that Chile's INDC would reduce coal demand in 2030 by an estimated 0.6 Mtoe (unconditional) or 2.2 Mtoe (conditional), resulting in a cost saving of around USD 0.1 billion (unconditional) or USD 0.4 billion (conditional). A further 1.8 Mtoe reduction in coal consumption from the conditional INDC level would be possible through a 100% renewable scenario, equivalent to further potential cost savings of USD 0.3 billion a year. This would be a total reduction of 4 Mtoe of coal in 2030, corresponding to USD 0.7 billion in cost savings, compared to current policies scenario.




Figure 32: Coal demand from power sector in Chile

### Oil in the transport sector

Domestic oil production, although increasing in the last 5 years, only accounted for 3% of total consumption in 2012. The transport sector represents the majority of the country's oil product demand (IEA 2014d). Figure 33 illustrates that Chile's INDC would reduce oil demand for transport in 2030 by an estimated 0.6 Mtoe (unconditional) or 2.3 Mtoe (conditional), resulting in a cost saving of around USD 0.6 billion (unconditional) or USD 2.2 billion (conditional) in oil imports. A further 2 Mtoe reduction in oil consumption from the INDC level would be possible through a 100% renewable scenario with further savings of approximately USD 1.8 billion per year through oil imports for the transport sector. This would be a total saving of 4.1 Mtoe of oil in 2030, and roughly USD 4 billion, compared to current policies.




Figure 33: Oil demand from transport sector in Chile

### Natural gas

The northern and central regions of Chile are completely dependent on imports to meet their gas demand; and production in the southernmost region remains insufficient for the local demands (IEA, 2014). Additionally, natural gas demand has increased considerably in the last years and is projected to roughly double between 2012 and 2030, as shown in Figure 34. Under the scenarios implied by the INDC, Chile would save USD 0.1 billion (unconditional) or USD 0.3 billion (conditional) per year by 2030 through reducing gas imports by 0.3 Mtoe (unconditional) or 1.3 Mtoe (conditional). If Chile were to strengthen the INDC further to meet a 100% renewable trajectory, natural gas consumption could be reduced by an additional 1 Mtoe in 2030, corresponding to further potential cost savings of approximately USD 0.3 billion per year. This would be a total saving of 2.3 Mtoe of oil in 2030, and USD 0.6 billion, compared to current policies.




Figure 34: Reduced natural gas demand in Chile

## 5.7.2 Reduced air pollution

The health burden of air pollution is set to increase significantly in Chile up to 2030 under all scenarios analysed, due not only to growth of emissions but also demographic factors, such as population growth and the ageing of the population. Figure 35 shows that under current policies, the number of premature deaths will roughly double between 2012 and 2030 from 2,600 to 5,400. Under the INDC, approximately 200 (unconditional) or 700 (conditional) premature deaths could be prevented each year by 2030, compared to the current policies scenario. Strengthening this commitment to be in line with a 100% renewable trajectory could prevent around 800 additional premature deaths every year, or a total of approximately 1,500 compared to current policies.




Figure 35: Premature adult deaths prevented in Chile

## 5.7.3 Creation of green jobs

Under current policies, employment opportunities in the renewable energy sector are projected to increase significantly up to 2030, as shown in Figure 36. Chile's INDC would create 1,000 (unconditional) or 7,000 (conditional) additional full time jobs by 2030, compared to current policies. However, if Chile were to strengthen the INDC to meet a 100% renewable scenario, the impact on job creation would be significant, with approximately 4,000 additional jobs created, compared to the INDC scenario, or a total of 11,000 compared to current policies. If no more large hydro power were to be installed, and Chile would meet its renewable electricity generation through other technologies, the employment benefit in each scenario would be greater still, with a further increase of approximately 500 additional jobs under either INDC scenario, and a further increase of approximately 4,000 additional jobs under the 100% renewable scenario; following a 100% renewable scenario with no new large hydro would therefore create a total of approximately 15,000 full-time equivalent jobs, compared to the current policies trajectory.




Figure 36: Job creation from renewables in Chile

## 5.8 South Africa

South Africa submitted its INDC to the UNFCCC in September 2015. The INDC gives an emission reduction range for 2025 and 2030; the INDC indicates that emissions for both these years will be in the range of 398 MtCO<sub>2e</sub> and 614 MtCO<sub>2e</sub>. The current policies trajectory would lead to emissions of 943 MtCO<sub>2e</sub> in 2030 (CAT 2015b). In comparison to a current policies trajectory in 2030, according to our illustrative method, implementation of South Africa's INDC would achieve the following co-benefits, given in a range from the least to the most ambitious ends of the target range:

- Save between USD 1.5 billion and USD 5 billion each year in reduced fossil fuel imports.
- Prevent in the order of between 300 and 1,500 premature deaths each year from air pollution.
- Create between 20,000 and 60,000 additional green jobs in domestic renewable energy

If South Africa strengthened its INDC to meet a trajectory towards 100% renewables by 2050 (and thus in line with keeping global warming below 2°C and possibly even 1.5°C), it could, according to our illustrative method, achieve the following benefits in addition to those achieved from the most ambitious end of the INDC target range:

- Save USD 2 billion annually in reduced fossil fuel imports additional to INDC reductions, corresponding to total annual saving of USD 7 billion compared to the current policies scenario.
- Prevent in the order of 1,200 premature deaths each year from air pollution additional to the INDC improvement, totalling 2,700 deaths fewer annually than in the current policies scenario.
- Create approximately 25,000 jobs in the domestic renewable energy sector additional to the INDC scenario, totalling 85,000 more jobs than in the current policies scenario.

### 5.8.1 Reduced fossil fuel imports

Because of the vast domestic production of coal in South Africa, and the unlikelihood of gas demand to be reduced considerably up to 2030 under any of the analysed scenarios due to the current development of major regional gas fields and the recent discoveries of significant offshore reserves, South Africa's cost savings from fossil fuel imports are limited mostly to potential reductions in oil consumption from transport.

#### *Coal in the power sector*

Due to South Africa's major production of coal, the fuel accounted for 94% of power generation in 2012. The total amount of coal for power generation is projected to increase up to 2030 under current policies, but its overall share will decrease slightly to 82% due to the increased installation of gas, nuclear and renewable energy capacities (IEA 2014c). Figure 37 illustrates that South Africa's INDC would reduce coal demand in 2030 by an estimated 6 Mtoe (lower-limit of target range) or 20 Mtoe (upper-limit of target range). Due to the domestic production of coal, these reductions will incur no direct cost savings from imports for South Africa. However, reducing dependence on coal multiple benefits for South Africa, including improved long term energy security, and the creation of decent green jobs associated with a shift away from fossil fuels. A further 8 Mtoe reduction in coal consumption would be possible through a 100% renewable scenario, a total of 28 Mtoe compared to current policies.




Figure 37: Coal demand from power sector in South Africa

### Oil in the transport sector

Oil accounted for 98% of energy demand from the transport sector in 2012 and this share is projected to stay constant under current policies up to 2030, whilst total demand increases by over 60% (IEA 2014c). Figure 38 illustrates that South Africa's INDC would reduce oil demand for transport in 2030 by between an estimated 1.5 Mtoe (lower-limit) and 5 Mtoe (upper-limit), resulting in a cost saving of between USD 1.5 billion and USD 5 billion in oil imports. A further 2 Mtoe reduction in oil consumption from the INDC level would be possible through a 100% renewable scenario with further savings of approximately USD 2 billion per year through oil imports for the transport sector. This would be a total saving of 7 Mtoe of oil in 2030, and roughly USD 7 billion, compared to current policies.




Figure 38: Oil demand from transport sector in South Africa

### Natural gas

Demand for natural gas is expected to roughly double between 2012 and 2030 in South Africa, whilst its share in total primary energy demand increases from 3% to 4%. According to IEA projections, demand for natural gas is unlikely to be reduced up to 2030 under any scenarios. In the most ambitious mitigation

scenarios, reductions in fossil fuel consumption are made from coal and oil. Under a 100% renewables by 2050 scenario, reductions in natural gas are projected to come at a later stage.




Figure 39: Reduced natural gas demand in South Africa

### 5.8.2 Reduced air pollution

South Africa is an arid country with high naturally-occurring dust levels, compounded by industrial and vehicular pollution emissions. This makes the need to formally address air pollution and appropriate mitigation measures an emerging priority for the country (Department of Environmental Affairs 2010). Figure 40 shows that under current policies, the air pollution burden will increase only slightly in South Africa up to 2030 under current policies, causing in the order of 7,500 premature deaths per year. This marginal increase, compared to a projected 56% increase in CO<sub>2</sub> emissions over this period, is due to expected technological improvements at the sources of pollution which will accelerate the reduced intensity of SO<sub>2</sub> and SO<sub>x</sub> emissions (IIASA 2012a). Under the INDC, approximately 250 (lower-limit) or 1,500 (upper-limit) premature deaths could be prevented each year by 2030, compared to the current policies scenario. Strengthening this commitment to be in line with a 100% renewable trajectory could prevent around 1,200 additional premature deaths every year, or a total of approximately 2,700 compared to current policies.




Figure 40: Premature adult deaths prevented in South Africa



### 5.8.3 Creation of green jobs

Despite being heavy dependent on coal-fired power in the past, South Africa has recently developed what is arguably one of the most successful renewable energy programmes globally. It has hosted the fastest-growing clean energy market over the past 5 years, and is now an attractive RE investment destinations (WWF 2014). Under current policies, employment opportunities in the renewable energy sector are projected to increase by more than six times, up to 2030, as shown in Figure 41. South Africa’s INDC would create between 20,000 (lower-limit) and 60,000 (upper-limit) additional full time jobs by 2030, compared to current policies. If South Africa were to strengthen the INDC to meet a 100% renewable scenario, approximately 25,000 additional jobs would be created, compared to the upper-limit of the INDC scenario, or a total of 85,000 compared to current policies.




Figure 41: Job creation from renewables in South Africa

## 6. Summary and conclusions

This study has shown the major co-benefits that have been achieved by the INDCs of the EU, the U.S. China, Canada, Japan, Chile, India and South Africa, through the reduction of fossil fuel imports, prevention of premature deaths from air pollution and the creation of decent green jobs through the renewable energy sector. These achieved co-benefits as calculated with our illustrative method are summarised in Table 3.

Table 3: Co-benefits achieved in 2030 by INDCs compared to current policies trajectories (per year)

Co-benefit	EU	US	China	Canada	Japan	India	Chile	South Africa	Total
Cost savings from reduced fossil fuel imports (bn USD)	33	Reduced reliance on scarce fuels	Reduced reliance on scarce fuels	Reduced reliance on scarce fuels	8	2.5	0.8 - 2.9	1.5 - 5	~ USD 50 billion
Prevented premature deaths from ambient air pollution	6,000	7,000	100,000	100	1,500	28,000	200 - 700	300 - 1,500	~ 150,000
Job creation from renewable energy	70,000	470,000	500,000	3,000	No job gain	50,000	1,000 - 7,000	20,000 - 60,000	~ 1.1 million

Source: NewClimate Institute calculations. See section 5.

Despite the major achievements of the INDCs, this study has also shown that the potential co-benefits of strengthening INDCs to meet a 100% renewable trajectory are many times higher than those already achieved. Table 4 summarises this potential, demonstrating the substantial potential co-benefits which are *in addition* to those already achieved by INDCs. Table 4 also summarises the total benefits of the 100% renewable scenario over the current trends.

Table 4: *Additional* potential co-benefits in 2030 from strengthening INDCs to meet a 100% renewable trajectory

		Potential co-benefits in 2030 of a strengthened INDC which would meet a 100% renewable by 2050 trajectory								
		EU	US	China	Canada	Japan	India	Chile	South Africa	Total
Compared to the INDC scenario	Cost savings from reduced fossil fuel imports (bn USD)	140	160	190	-	25	195	2.4	2	~ USD 715 billion
	Prevented premature deaths from ambient air pollution	40,000	20,000	1.1 million	700	15,000	1.3 million	800	1,200	~ 2.5 million
	Job creation from renewable energy	350k	180k	1.4 million	5k	67k	625k	4k	25k	~ 2.7 million
Compared to the current policies scenario	Cost savings from reduced fossil fuel imports (bn USD)	170	160	190	-	33	197	5.3	7	~ USD 765 billion
	Prevented premature deaths from ambient air pollution	46,000	27,000	1.2 million	800	16,500	1.33 million	1,500	2,700	~ 2.6 million
	Job creation from renewable energy	420k	650k	1.9 million	8k	67k	675k	11k	85,000	~ 3.8 million

Source: NewClimate Institute calculations. See section 5.




Figure 42: Comparison of potential cost savings from fossil fuel imports in all countries





Figure 43: Comparison of potential prevention of premature deaths in all countries



Note: Where the INDC presents a range or multiple targets, the most ambitious target is assumed for cobenefit projections

Figure 44: Comparison of potential job creation from renewable energy in all countries

The potential benefits for all countries are compared alongside each other in Figure 42, Figure 43 and Figure 44. In these charts, the results are presented on a per capita basis in order to compare the respective impacts of each potential benefit across the countries, relative to their population sizes. Per capita calculations are based upon the projected populations in each country in 2030, according to the World Bank Health Nutrition and Population Statistics (World Bank 2015). In the case that countries' INDCs included a target range, or multiple targets for emission reductions, the outcomes for the most ambitious targets are presented in this analysis to positively demonstrate the potential benefits that such a level of ambition could accrue.

The charts indicate that through the analysis of only these three indicators, almost all countries analysed have potential for a great volume of co-benefits through increasing the ambition of their climate change mitigation contributions.

For cost savings from fossil fuel imports, shown in Figure 42, the potential savings from the major fossil fuel importers is, as expected, particularly large. For the United States, potential cost savings per capita amount to approximately USD 450 per capita per year, or nearly 1% of GDP per capita in 2014. Even some of the major fossil fuel producers today, stand a lot to gain from reducing fossil fuel consumption in 2030: India, for example, will by 2030 become one of the world's most 'dependent' countries for its energy supply; despite producing a large volume of fossil fuels domestically, India expects energy demand growth which will far exceed the projected increases in fossil fuel production.

For air pollution, shown in Figure 43, the enormity of the potential gains in China and India reflect the state of crisis that these countries face in urban air pollution. These benefits – that is, the potential to mitigate the dire local situation – are clearly translating into policy in China and play a significant role in the countries' drive to install significant amounts of renewable energy capacities, particularly for solar. These investments in China have, in turn, transformed the global market for renewable technologies by activating enhanced economies of scale, helping to make renewable technologies more cost effective in many parts of the world. This is a demonstration of the global transformational potential that can be achieved through exploiting co-benefit potentials for climate change mitigation in transition countries. However, air pollution is not only an issue for the emerging economies; even industrialised and decarbonising countries, such as the US and the EU, can prevent the deaths of nearly 100 people per 1 million population per year in 2030; a volume that remains underappreciated by policy makers.

Lastly, for job creation through renewable energy technologies, Figure 44 indicates that the benefits are large for many of the countries studied. The US, in particular, has a high potential for jobs in renewable energy under a 100% renewable trajectory due to the relatively low penetration of renewables projected under current policies and the relatively high energy consumption, which demands a large volume of electrical generation capacity. The results are also particularly notable for China, given that the estimated total includes only job creation through *domestic* installations, and China's renewable energy industry for foreign export would augment this total significantly. The same advantage could also hold true for South Africa as a potential exporter to the African continent if the development of the countries' renewable energy industries would be better encouraged by national policy.

Recognition of both the achieved and potential co-benefits may increase the willingness of decision makers and influential stakeholders to embark on more ambitious climate change mitigation strategies by highlighting the directly tangible synergies between climate change mitigation measures and national development goals. The benefits highlighted in this study – national cost savings, health and job creation – are economy-wide issues that are of key relevance to the development objectives of all stakeholders. Furthermore, consideration of these co-benefits alongside climate change mitigation policy options are highly likely to decrease the perceived cost of climate change mitigation action. A significant amount of potential and un-implemented mitigation measures in both developing and developed countries is already widely understood to carry negative costs to the financier directly (that is, positive economic returns), and a more thorough consideration of the wider co-benefits accrued externally is likely to substantially increase

the mitigation potential that is considered cost-negative for the wider economy. Ultimately, such analysis might demonstrate that climate change mitigation measures which achieve a 100% renewable trajectory are not only aimed at preserving the well-being of future generations, but may also generate positive economy-wide returns, rather than costs, for the current generation.

## References

- ACEEE, 2011. *How Does Energy Efficiency Create Jobs ? - Fact Sheet*, Washington D.C. Available at: <http://aceee.org/files/pdf/fact-sheet/ee-job-creation.pdf>.
- ACORE, 2014. *The Outlook for Renewable Energy in America*,
- Amecke, H. et al., 2013. *Buildings Energy Efficiency in China, Germany, and the United States*, Available at: <http://climatepolicyinitiative.org/wp-content/uploads/2013/04/Buildings-Energy-Efficiency-in-China-Germany-and-the-United-States.pdf>.
- Anenberg, S.C. et al., 2010. An Estimate of the Global Burden of Anthropogenic Ozone and Fine Particulate Matter on Premature Human Mortality Using Atmospheric Modeling. *Environmental Health Perspectives*, 118(9), pp.1189–1195. Available at: <http://ehp.niehs.nih.gov/0901220>.
- APEREC, 2009. *Energy Demand and Supply Outlook 4th Edition*, Tokyo. Available at: [http://aperc.iecej.or.jp/file/2010/9/24/Outlook\\_Volume\\_II\\_4E.pdf](http://aperc.iecej.or.jp/file/2010/9/24/Outlook_Volume_II_4E.pdf).
- AWEA, 2015. *Wind energy facts at a glance. American Wind Energy Association*, Available at: <http://www.awea.org/AnnualMarketReport.aspx?ItemNumber=6315&RDtoken=55525&userID>.
- Bollen, J., 2009. Co-benefits of Climate Policy. *International Energy Workshop 2009*, pp.1–20.
- Bossmann, T., Eichhammer, W. & Elstrand, R., 2012. *Contribution of energy efficiency measures to climate protection within the European Union until 2050*, Karlsruhe. Available at: [http://www.isi.fraunhofer.de/isi-wAssets/docs/e/de/publikationen/Begleitbericht\\_Contribution-to-climate-protection\\_final.pdf](http://www.isi.fraunhofer.de/isi-wAssets/docs/e/de/publikationen/Begleitbericht_Contribution-to-climate-protection_final.pdf).
- CAT, 2015a. Climate Action Tracker. Available at: <http://climateactiontracker.org/>.
- CAT, 2015b. South Africa: Climate Action Tracker. Available at: <http://climateactiontracker.org/countries/southafrica/2015.html> [Accessed October 6, 2015].
- Chile, M. de E., 2012. *National Energy Strategy 2012-2030*, Available at: [http://pds.kallman.com/shows/iftenergy\\_2012/pdfs/Energy-for-the-Future-Chile's-National-Energy-Strategy-2012-2030-English.pdf](http://pds.kallman.com/shows/iftenergy_2012/pdfs/Energy-for-the-Future-Chile's-National-Energy-Strategy-2012-2030-English.pdf).
- Clean Energy Canada, 2014. Tracking the energy revolution. Available at: <http://cleanenergycanada.org/wp-content/uploads/2014/12/Tracking-the-Energy-Revolution-Canada.pdf>.
- Department of Environmental Affairs, 2010. *PM 2.5 as an emerging priority pollutant in South Africa – Impacts on Human Health*,
- Ecofys et al., 2014. *Assessing the EU 2030 Climate and Energy targets*, Utrecht. Available at: <http://www.ecofys.com/files/files/ecofys-2014-assessing-the-eu-2030-targets.pdf>.
- EEA, 2014. *Air quality in Europe — 2014 report*,
- EESI, 2014. *Jobs in Renewable Energy and Energy Efficiency*, Washington D.C. Available at: <http://www.eesi.org/papers/view/fact-sheet-jobs-in-renewable-energy-and-energy-efficiency-2014>.
- European Commission, 2013. EU Energy, Transport and GHG Emissions - Trends to 2050 - Reference Scenario 2013. Available at: [http://ec.europa.eu/energy/observatory/trends\\_2030/doc/trends\\_to\\_2050\\_update\\_2013.pdf](http://ec.europa.eu/energy/observatory/trends_2030/doc/trends_to_2050_update_2013.pdf).

- European Commission, 2014a. *Impact Assessment - Energy Efficiency and its contribution to energy security and the 2030 Framework for climate and energy policy - Communication from the Commission to the European Parliament and the Council*, Brussels. Available at: [http://ec.europa.eu/energy/efficiency/events/doc/2014\\_eec\\_ia\\_adopted\\_part1.pdf](http://ec.europa.eu/energy/efficiency/events/doc/2014_eec_ia_adopted_part1.pdf).
- European Commission, 2014b. Questions and answers on security of energy supply in the EU.
- Executive Office of the President, U.S., 2013. The President's Climate Action Plan final. Available at: [149894606-Barack-Obama-s-Climate-Action-Plan.pdf](http://www.whitehouse.gov/the-press-office/2013/06/17/149894606-Barack-Obama-s-Climate-Action-Plan.pdf).
- Fang, Y. et al., 2013. Impacts of 21st century climate change on global air pollution-related premature mortality. *Climatic Change*, 121, pp.239–253.
- Government of Canada, 2015. Canada's INDC submission to the UNFCCC. Available at: <http://www4.unfccc.int/submissions/INDC/Published Documents/Canada/1/INDC - Canada - English.pdf>.
- Government of Canada, 2014. *Canada's Sixth National Report on Climate Change*, Available at: [http://www.ec.gc.ca/cc/0BA54AAB-6E8E-4D48-B42C-DCBB09B27D10/6458\\_EC\\_ID1180-MainBook\\_high\\_min\\_FINAL-s.pdf](http://www.ec.gc.ca/cc/0BA54AAB-6E8E-4D48-B42C-DCBB09B27D10/6458_EC_ID1180-MainBook_high_min_FINAL-s.pdf).
- Government of Chile, 2015. *Contribución Nacional Tentativa de Chile (INDC)*, Available at: <http://www4.unfccc.int/submissions/INDC/Published Documents/Chile/1/INDC FINAL SEPT 2015.pdf>.
- Government of Chile, 2014. Resultados de MAPS Chile Fase 2: Opciones de Mitigación para enfrentar el Cambio Climático. Available at: [http://portal.mma.gob.cl/wp-content/uploads/2014/12/ResultadosdeFase2\\_MAPSChile.pdf](http://portal.mma.gob.cl/wp-content/uploads/2014/12/ResultadosdeFase2_MAPSChile.pdf).
- Government of Japan, 2013. Japan's 6th National Communication to the UNFCCC. Available at: [http://unfccc.int/files/national\\_reports/annex\\_i\\_natcom/submitted\\_natcom/application/pdf/nc6\\_japan\\_webversion.pdf](http://unfccc.int/files/national_reports/annex_i_natcom/submitted_natcom/application/pdf/nc6_japan_webversion.pdf).
- Government of Japan, 2015. Japan's INDC outline (draft). Available at: [http://www.meti.go.jp/committee/sankoushin/sangyougijutsu/chikyu\\_kankyo/yakusoku\\_souan\\_wg/pdf/007\\_04\\_00.pdf](http://www.meti.go.jp/committee/sankoushin/sangyougijutsu/chikyu_kankyo/yakusoku_souan_wg/pdf/007_04_00.pdf) [Accessed May 20, 2015].
- IEA, 2014a. Canada: Electricity and Heat for 2012. Available at: <http://www.iea.org/statistics/statisticssearch/report/?country=CANADA&product=electricityandheat&year=2012> [Accessed May 22, 2014].
- IEA, 2014b. *Capturing the multiple benefits of energy efficiency*, Available at: <http://www.iea.org/Textbase/npsum/MultipleBenefits2014SUM.pdf>.
- IEA, 2014c. *Energy Statistics and Balances*,
- IEA, 2014d. *ENERGY SUPPLY SECURITY 2014 Part 3*,
- IEA, 2015. IEA Statistics and Balances. Available at: <http://www.iea.org/statistics/statisticssearch/> [Accessed June 4, 2015].
- IEA, 2013. *Technology roadmap: wind energy*, Available at: [http://www.iea.org/publications/freepublications/publication/Wind\\_2013\\_Roadmap.pdf](http://www.iea.org/publications/freepublications/publication/Wind_2013_Roadmap.pdf).
- IEA, 2012. *Understanding Energy Challenges in India. Policies, Players and Issues*, Available at: [http://www.iea.org/publications/freepublications/publication/India\\_study\\_FINAL\\_WEB.pdf](http://www.iea.org/publications/freepublications/publication/India_study_FINAL_WEB.pdf).

- IEA, 2014e. World Energy Investment Outlook. *International Energy Agency, Paris, France*, 23, pp.1–185. Available at: <http://www.smithschool.ox.ac.uk/wp-content/uploads/2010/06/Fatih-Birol.pdf>.
- IEA, 2014f. *World Energy Outlook*, Paris, France.
- IIASA, 2012a. *Emissions of Air Pollutants for the World Energy Outlook 2012 Energy Scenarios*, Available at: [http://www.worldenergyoutlook.org/media/weowebiste/energymodel/documentation/IIASA\\_WEO2012\\_air\\_pollution.pdf](http://www.worldenergyoutlook.org/media/weowebiste/energymodel/documentation/IIASA_WEO2012_air_pollution.pdf).
- IIASA, 2012b. *Emissions of Air Pollutants for the World Energy Outlook 2012 Energy Scenarios*,
- IIASA, 2014. *Urban PM2.5 levels under the EU Clean Air Policy Package*, Laxenburg.
- ILO, 2013a. *Green jobs becoming a reality: progress and outlook 2013*, Geneva. Available at: [http://www.cliclavoro.gov.it/Progetti/Documents/green\\_jobs\\_ILO.pdf](http://www.cliclavoro.gov.it/Progetti/Documents/green_jobs_ILO.pdf).
- ILO, 2013b. International Labour Organization submission to the ad hoc working group on the the Durban Platform for Enhance Action – More and better jobs and a just transition for all through ambitious climate action – , pp.1–5.
- IPCC, 2014. *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* T. Z. and J. C. M. Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, ed., Cambridge, UK and New York, NY: Cambridge University Press. Available at: [http://report.mitigation2014.org/spm/ipcc\\_wg3\\_ar5\\_summary-for-policymakers\\_approved.pdf](http://report.mitigation2014.org/spm/ipcc_wg3_ar5_summary-for-policymakers_approved.pdf).
- IRENA, 2014a. *Renewable Energy and Jobs: Annual Review 2014*, Abu Dhabi. Available at: <http://www.irena.org/publications/rejobs-annual-review-2014.pdf>.
- IRENA, 2014b. *Renewable Energy Prospects: China, REmap 2030 analysis*, Abu Dhabi.
- Krewski, D. et al., 2009. p. *Research report (Health Effects Institute)*, pp.5–114; discussion 115–136.
- Lozano, R. et al., 2012. Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: A systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380, pp.2095–2128.
- McKinsey & Company, 2014. *India: Towards Energy Independence 2030*. , (January), p.22.
- METI, 2015. *Report on the verification of power generation costs [in Japanese]*, Available at: [http://www.enecho.meti.go.jp/committee/council/basic\\_policy\\_subcommittee/mitoshi/cost\\_wg/pdf/cost\\_wg\\_01.pdf](http://www.enecho.meti.go.jp/committee/council/basic_policy_subcommittee/mitoshi/cost_wg/pdf/cost_wg_01.pdf).
- Ministry of Energy, 2011. *Integrated Resource Plan for Electricity 2010-2030*, Available at: [http://www.energy.gov.za/IRP/irp\\_files/IRP2010\\_2030\\_Final\\_Report\\_20110325.pdf](http://www.energy.gov.za/IRP/irp_files/IRP2010_2030_Final_Report_20110325.pdf).
- Mueller, S. & Mallard, J., 2011. Contributions of Natural Emissions to Ozone and PM2.5 as Simulated by the Community Multiscale Air Quality (CMAQ) Model. *Environmental Science & Technology*, 45, pp.4817–4823.
- NITI Aayog, 2015. *Report on Energy Efficiency and Energy Mix in the Indian Energy System (2030)*, Available at: [http://niti.gov.in/mgov\\_file/Energy\\_Efficiency.pdf](http://niti.gov.in/mgov_file/Energy_Efficiency.pdf).
- OECD, 2011. *OECD Environmental Outlook to 2050*, Available at: [http://www.keepeek.com/Digital-Asset-Management/oecd/environment/oecd-environmental-outlook-to-2050\\_9789264122246-en#page9](http://www.keepeek.com/Digital-Asset-Management/oecd/environment/oecd-environmental-outlook-to-2050_9789264122246-en#page9).



- Public Health England, 2014. *Estimating local mortality burdens associated with particulate air pollution*, London. Available at: [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/332854/PHE\\_CRCE\\_010.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/332854/PHE_CRCE_010.pdf).
- REN21, 2014. *Renewables 2014: Global Status Report*, Paris. Available at: [http://www.ren21.net/portals/0/documents/resources/gsr/2014/gsr2014\\_full\\_report\\_low\\_res.pdf](http://www.ren21.net/portals/0/documents/resources/gsr/2014/gsr2014_full_report_low_res.pdf).
- Rutovitz, J. & Harris, S., 2012. Calculating global energy sector jobs: 2012 methodology. *Prepared for Greenpeace International by the Institute for Sustainable Futures, University of Technology, Sydney.*, (June).
- The New Climate Economy, 2014. *The New Climate Economy Report: the global report*, Washington. Available at: [http://static.newclimateeconomy.report/wp-content/uploads/2014/08/NCE\\_GlobalReport.pdf](http://static.newclimateeconomy.report/wp-content/uploads/2014/08/NCE_GlobalReport.pdf).
- The Solar Foundation, 2014. *National Solar Jobs Census 2014*,
- Thompson, T.M. et al., 2014. A systems approach to evaluating the air quality co-benefits of US carbon policies. *Nature Clim. Change*, 4(10), pp.917–923. Available at: <http://dx.doi.org/10.1038/nclimate2342>.
- UNEP, 2014. *The Emissions Gap Report 2014: A UNEP Synthesis Report*, United Nations Environment Programme (UNEP), Nairobi. Available at: [http://www.unep.org/publications/ebooks/emissionsgapreport2014/portals/50268/pdf/EGR2014\\_LOWRES.pdf](http://www.unep.org/publications/ebooks/emissionsgapreport2014/portals/50268/pdf/EGR2014_LOWRES.pdf).
- US EIA, 2014. *China*, Available at: <http://www.eia.gov/countries/analysisbriefs/China/china.pdf>.
- US EPA, 2014. *Annual Energy Outlook 2014*, Available at: <http://www.eia.gov/forecasts/aeo/>.
- Wei, M., Patadia, S. & Kammen, D.M., 2010. Putting renewables and energy efficiency to work: How many jobs can the clean energy industry generate in the US? *Energy Policy*, 38(2), pp.919–931. Available at: <http://dx.doi.org/10.1016/j.enpol.2009.10.044>.
- WHO, 2014. Ambient Air Pollution Database. Available at: [http://www.who.int/phe/health\\_topics/outdoorair/databases/cities/en/](http://www.who.int/phe/health_topics/outdoorair/databases/cities/en/).
- World Bank, 2014. Health Nutrition and Population Statistics. Available at: <http://data.worldbank.org/data-catalog/health-nutrition-and-population-statistics>.
- World Bank, 2015. Health Nutrition and Population Statistics: Population estimates and projections. Available at: <http://databank.worldbank.org/data/reports.aspx?source=Health Nutrition and Population Statistics: Population estimates and projections#>.
- World Bank, 2013. *World development indicators 2013*, Washington, D.C.: World Bank. Available at: <http://www.worldcat.org/oclc/843979223>.
- WWF, 2014. *Renewable energy vision 2030 – South Africa*, Available at: [http://awsassets.wwf.org.za/downloads/a16369\\_wwf\\_reip\\_report\\_online.pdf](http://awsassets.wwf.org.za/downloads/a16369_wwf_reip_report_online.pdf).
- Yang, F. et al., 2011. Characteristics of PM<sub>2.5</sub> speciation in representative megacities and across China. *Atmospheric Chemistry and Physics*, 11, pp.5207–5219.



## Annex I – Scenarios

### Current policies scenario

The current policies scenario simulates the conditions expected in the country should it continue with its current policies, programmes and measures. This scenario is taken from the Climate Action Tracker (CAT 2015a), where country specific sources were used, often based upon data from the World Energy Outlook 2014 (IEA 2014f).

### INDC pathway

The INDC pathways are taken from the Climate Action Tracker (CAT 2015a), where country specific calculations are made, dependant on the type of INDC.

### 100% renewable / 2°C compatible pathway

The 100% renewable pathway defines a trajectory which a country should take if it is to be consistent with the internationally agreed goal to limit global temperature increase to less than 2°C. For the purpose of this study, the scenario is defined upon the following simplified general principles:

- The country reaches 100% renewable energy by the year 2050.
- For energy demand we use the 450ppm scenario of the World Energy Outlook (IEA 2014f). This means it does still increase for some countries, mainly developing countries.
- A linear pathway is followed from the country's current renewable energy shares to 100% in 2050.
- It is assumed that the split between different fossil fuels used for fossil fuel combustion remains constant throughout the phase-out period between now and 2050.

The resulting pathway of energy-related emissions is consistent with scenarios of all greenhouse gas emissions that limit global average temperature increase to 2°C with a very high likelihood and that limit global average temperature increase to 1.5°C with 50% likelihood.

These principles are highly simplified because they neglect the possibilities to achieve a 2°C compatible scenario through other means. For example, countries might continue to increase their emissions in the short term and then reduce them at a faster rate in the future, intermediate shifts to different fuel types (such as a shift from coal to natural gas) might occur before the full phase-out of emissions, or it may become feasible for countries to achieve a 2°C compatible scenario through the use of carbon capture and storage alongside continued fossil fuel combustion. In reality the definition of a 2°C compatible scenario is highly complex; there is no *single* way to develop on a 2°C compatible trajectory, and the approaches that are most attractive are entirely dependent on the economic and political climate of each individual country. For the sake of clarity and comparability the simplified principles described above will be used for all countries.

The precise calculation of the 100% renewable scenario varies between each co-benefit indicator and is discussed in more detail in the specific methodology section for each respective indicator.

## Annex II – Indicator calculation methodologies

### Reduced fossil fuel imports

#### Defining the indicator and scope

This measurement assesses the cost savings associated with the reduced imports of fossil fuels, due to the reduced demand for these fuels in sectors due to reductions in energy demand and shifts to alternative sources of energy.

For this co-benefit, we consider reduced coal imports for power generation, reduced oil imports for transport, and reduced natural gas demand in all sectors. The selection of these sectors and fuels generally covers the major sources of fossil fuel powered energy consumption, as well as the major sources of potential co-benefit; coal and oil satisfied an estimated 74% of global energy demand in 2013, whilst power accounted for 62% of coal demand and transport for 55% of oil demand. The demand for natural gas worldwide nearly doubled between 1990 and 2012, and is forecast by some scenarios to be the world's greatest source of energy in 2040 (IEA 2014f).

#### Calculation methodology

##### Output indicators

Table 5 presents the output indicators that will be produced from this methodology. The indicators shaded in orange are the major output indicators whilst the unshaded rows are the sub-level indicators.

Table 5 Output indicators for reduced fossil fuel imports

Indicator	Scope	Unit
Cost savings from reduced fossil fuel imports achieved (1)	Combined sectors and fuels	USD per year
Potential cost savings from reduced fossil fuel imports missed (2)	Combined sectors and fuels	USD per year
Reduction of oil/coal/gas imports in the transport/power sector achieved (3)	Per sector and fuel type	Mtoe
Potential reduction of oil/coal/gas imports in the transport/power sector missed (4)	Per sector and fuel type	Mtoe

##### Method of calculation

The production of the output indicators will be based upon a calculation of the differences in energy demand (per sector and fuel type) between the three scenarios: current policies, INDC and 100% renewable. Table 6 presents the required data inputs for the calculation of the co-benefit in year x.

Table 6 Data inputs for the calculation of reduced fossil fuel imports

Indicator	Unit	Source
<b>Sectoral fuel demand in year x according to current policies (D<sub>CP</sub>)</b>	Mtoe	World Energy Outlook (IEA 2014f) PRIMES 2013 (European Commission 2013) Climate Action Tracker (CAT 2015a) US Annual Energy Outlook 2014 (US EPA 2014) IEA Statistics (IEA 2015) Canada's Sixth National Communication (Government of Canada 2014) Chile National Energy Balance (BNE) 2012
<b>Sectoral fuel demand in year x according to the INDC pathway (D<sub>INDC</sub>)</b>	Mtoe	EU Impact Assessment 2014 (European Commission 2014a) Climate Action Tracker (CAT 2015a) Author calculations
<b>Sectoral fuel demand in year x according to 100% renewable pathway (D<sub>2C</sub>)</b>	Mtoe	450 Scenario from the World Energy Outlook (IEA 2014f) Author calculations
<b>Domestic fuel production (P)</b>	Mtoe	World Energy Outlook (IEA 2014f) PRIMES 2013 (European Commission 2013) US Annual Energy Outlook 2014 (US EPA 2014) Canada's Sixth National Communication (Government of Canada 2014) Chile National Energy Balance (BNE) 2012
<b>Forecast international price of fuel in year x</b>	USD	World Energy Outlook (IEA 2014f) Report of costs of power generation for Japan (METI 2015)

Figure 45 shows that the sub-level indicators are calculated in the following way, assuming 2030 as the target year of the INDC:

$$\text{Reduction of imports achieved in 2030} = D_{CP} - D_{INDC}$$

$$\text{Potential reduction of imports missed in 2030} = D_{INDC} - D_{2C}$$

These calculations assume that the domestic fuel production remains lower than the fuel demand in the INDC and 100% renewable scenarios. In countries where this is not the case, the calculation of the reduced imports is rather calculated based on the parameter P (fuel production):

$$\text{Reduction of imports achieved in 2030} = D_{CP} - P$$

$$\text{Potential reduction of imports missed in 2030} = D_{INDC} - P$$

For countries, which are net exporters of the fuels under consideration, calculations are not made for the reduction of imports.




Figure 45 Reduced fossil fuel imports under different scenarios

These sub-level indicators may be converted to the primary output indicator (cost savings) by applying a simple conversion formula based on the international fuel price:

$$\begin{aligned} \text{Cost savings from reduced fossil fuel imports achieved} \\ = \text{Reduction of imports achieved} \times \text{International price of fuel} \end{aligned}$$

$$\begin{aligned} \text{Potential cost savings from reduced fossil fuel imports missed} \\ = \text{Potential reduction of imports missed} \times \text{International price of fuel} \end{aligned}$$

#### Specific assumptions and considerations

The following list provides an overview of the specific assumptions made for the calculation of the co-benefits in the specified sectors for the U.S., China, the EU, Canada and Japan.

- Financial benefits are based on the WEO forecast fuel prices for 2030 (IEA 2014f). International prices are used for coal and oil, whilst regionally variable prices are available for natural gas. WEO price forecasts are supplemented by national specific data where available and more appropriate.
- Where the fuel demand is met by a combination of local production and imports, it is assumed that imports will be reduced before domestic production when the total demand for fuels is reduced. This assumption may not hold if the marginal cost of oil production are higher than the costs of oil imports. In this case, the economic benefit of reduced demand can be considered even greater than the value given in the results.
- 100% renewables / 2°C compatible scenario: For the electricity sector, this is considered by using the growth in electricity consumption under the IEA's WEO 450 scenario (IEA 2014) with a linear reduction of the emissions per kWh from today's level to zero in 2050 or directly the coal consumption in this scenario, whichever is lower. For gas and oil in transport we used the 450 scenario directly as it includes a set of policies that bring about a trajectory of greenhouse-gas emissions from the energy sector that is consistent with the international goal to limit the rise in long-term average global temperature to 2°C. Under the scenario, the concentration of atmospheric greenhouse gases stabilises by 2100 at a level around 450ppm, after peaking slightly above this level around 2050.
- EU, oil, and transport sector, INDC scenario: it is assumed that the change in the amount of oil demand for the transport sector is the same as the change in the total forecast energy consumption of the transport sector, as given in the EU Impact Assessment. This assumes that the relative shares of energy sources in the transport sector remain constant. Realistically, the amount of oil

demand is likely to be reduced further as alternative fuels are used in larger quantities, hence the benefits could be even larger.

- US, oil, transport sector, 100% renewable/ 2°C compatible scenario: The historical data for 2012 between the WEO 450 scenario and the current policies scenario (US Annual Energy Outlook 2014) is inconsistent. For the 100% renewable/ 2°C compatible scenario, the rate of demand change in the WEO data between 2012 and 2030 was applied to the historical data (for 2012) from the US Annual Energy Outlook, in order to determine a value for 2030 that is consistent with the other scenarios.
- US, coal, power sector, INDC scenario: The calculated coal reductions are based upon the 2013 President's Climate Action Plan (Executive Office of the President 2013). The increase in renewable capacity envisaged under this scenario is assumed to be used entirely to offset coal fired power.
- US, coal, power sector, 100% renewable scenario: The historical data for 2012 between the WEO 450 scenario and the current policies scenario (PRIMES 2013) is inconsistent. For the 100% renewable scenario, the rate of demand change in the WEO data between 2012 and 2030 was applied to the historical data (for 2012) from the PRIMES model, in order to determine a value for 2030 that is consistent with the other scenarios.
- US, natural gas, INDC scenario: The change in the demand for natural gas that is implied by an INDC with an emissions reduction of 28% is based on the relationship between emission reductions and natural gas demand in the WEO 2014 450 scenario.
- Canada, current policies: The share of coal for power from non-renewable sources remains constant according to the 2030 forecast for current policies. Its overall share is lowered due to the decreased share of non-renewable sources in power.
- Canada, oil and gas, 100% renewable / 2°C scenario: This scenario for oil and gas is assumed to follow the trend for the United States according to the "450 scenario" of the 2014 World Energy Outlook, which leads to a CO<sub>2</sub> equivalent concentration of 450 ppm in 2100 and is consistent with limiting global temperature increase to 2°C.
- Japan, coal, INDC scenario: We used the sectoral breakdown of the INDC (Government of Japan 2015) as a basis: energy related CO<sub>2</sub> emissions are 24% below 2005 in 2030. The share of coal-fired power reaches 26%, nuclear between 20% and 22%, and renewables between 22% and 24% in 2030. In the case nuclear power plants cannot be restarted as planned in this document, the share of coal-fired power would significantly increase and the benefits that we calculate here would be less.
- India, INDC scenarios: Energy sector emissions under the INDC scenarios are based on Climate Action Tracker analysis of current policies and the impact of the INDC's 40% non-fossil fuel electricity generation capacity target (CAT 2015a). It is assumed that the additional renewable energy capacity, compared to the current policies scenario, is based on new wind and solar installations, rather than additional nuclear capacity.
- Chile, INDC scenarios: We used the published INDC (Government of Chile 2015) and the results of the MAPS analysis (Government of Chile 2014) as a basis: the MAPS scenario "esfuerzo alta" is assumed the most likely construction for the upper limit of the conditional target of the INDC, given that the final emissions outcome is very similar. For the conditional target of the INDC, a scenario was constructed based on the "esfuerzo base" MAPS scenario.
- Chile, Fossil fuel import scenarios: Projected growth rates under current policies according to APERC (2009) were applied to data from the official 2013 National Energy Balance. Projections for the 100% renewable scenario were elaborated in line with the anticipated trend from the region "Latin America excl. Brazil" according to the World Energy Outlook (IEA 2014f).

## Reduced air pollution

### Defining the indicator and scope

This methodology assesses the health impacts of decreased outdoor air pollution in urban conurbations, due to the reduced combustion of fossil fuels.

This study considers the health impacts associated with reduced ambient atmospheric concentration of PM<sub>2.5</sub> in urban and rural populations (using national averages), based upon reduced emissions of primary particulate matter (PM), sulphur dioxide (SO<sub>2</sub>), non-nitrogen oxides (NO<sub>x</sub>), and ammonia (NH<sub>3</sub>), from all sectors.

PM<sub>2.5</sub> refers to particulate matter with a diameter less than 2.5 µm. PM<sub>2.5</sub> is the most lethal outdoor air pollutant in urban areas (OECD 2011). Its atmospheric concentration is derived from the emissions of primary particulate matter from fossil fuel combustion processes, as well as from atmospheric reactions between other pollutant gases (secondary particulate matter), namely SO<sub>2</sub>, NO<sub>x</sub>, and NH<sub>3</sub>.

Concentrations of PM<sub>2.5</sub> in any given location can be derived from five distinct sources: natural sources of particulate matter including dust and sea salt; secondary PM from international transboundary emissions; primary and secondary PM from national emissions; primary and secondary PM from urban emissions; and primary PM from street emissions. Natural sources of PM cannot be affected by the domestic policy. The calculation of PM concentrations from international transboundary emissions would require a more in depth version of an air transport model. Therefore, for the U.S., the EU and China, the simplification is made that due to the size of the land masses, most areas are subject to only domestically produced anthropogenic GHG concentrations. As such, policy scenarios are reflected equally in all source components of PM<sub>2.5</sub> concentrations, except for the natural source component which remains constant throughout.

This indicator will only reflect the number of premature deaths per year, and as such it considerably underestimates the impacts on human health and the related costs from non-lethal conditions such as chronic and acute bronchitis, or asthma.

### Calculation methodology

A large number of studies and models exist which calculate local air pollution and associated health impacts. These methodologies vary considerably with regards to their complexity and accuracy. Indeed, the precise determination of local air pollution is a highly complex exercise that is largely dependent on a very wide range of variables, including local climatic conditions as well as geographical features and urban topographies. For this study, simplified methodologies were combined and adapted to suit the requirements of the output indicators.

### Output indicators

Table 7 presents the output indicators that will be produced from this methodology. The indicator shaded in orange is the major output indicator whilst the unshaded row is the sub-level indicator.

Table 7 Output indicators for reduced air pollution

Indicator	Unit
Number of premature deaths saved per year due to reduced PM <sub>2.5</sub> concentrations.	Deaths per year
	Percentage change
Reduced national average exposure to PM <sub>2.5</sub> concentrations due to reduced emissions of greenhouse gases	µg/m <sup>3</sup>

### Method of calculation



The calculation of the output indicators will be based upon the differences in the emissions between the three scenarios (current policies, INDC and 100% renewable), and a selected response factor to calculate PM<sub>2.5</sub> concentrations and associated deaths. Table 8 presents the required data inputs for the calculation of the co-benefit in year x.

Table 8 Data input for the calculation of reduced air pollution

Indicator	Unit	Source*				
		EU	US	China	Canada	Japan
Mean annual exposure to PM <sub>2.5</sub> concentrations in the year 2010 (G <sub>2012</sub> )	µg/m <sup>3</sup>	World Development Indicators (World Bank 2013)				
Estimated national average background concentration of PM <sub>2.5</sub> from natural sources (G <sub>N</sub> )	µg/m <sup>3</sup>	EU: Approximation based on IIASA (2014) US: Approximation based on Mueller & Mallard (2011) China: Approximation based on Yang et. al. (2011) Canada: Based on US value Japan: Based on average of EU, US and China India: Estimation based on regional indications from other countries Chile: Approximation based on Fang et al. (2013) South Africa: Based on Anenburg et al (2010)				
Population over the age of 30	integer	Health Nutrition and Population Statistics (World Bank 2014)				
Crude death rate (annual, per thousand population)	integer	Bollen (2009)				
Total forecast energy consumption	Mtoe	450 scenario of the World Energy Outlook 2014 (IEA 2014f) Chile: APERC analysis (APERC 2009)				
Total national CO <sub>2</sub> emissions in 2012 (E <sub>2012</sub> )	MtCO <sub>2</sub>	EU: PRIMES US: AEO 2014				
Total national CO <sub>2</sub> emissions in year x according to current policies (E <sub>CP</sub> )	MtCO <sub>2</sub>	China: WEO 2014 Canada: Canada NC6 Japan: WEO 2014 India: Chile: MAPS (Government of Chile 2014) South Africa:				
Total national energy related CO <sub>2</sub> emissions in year x according to the INDC pathway (E <sub>INDC</sub> )	MtCO <sub>2</sub>	EU: PRIMES; EU Impact Assessment US: CAT China: CAT Canada: Author calculation from public INDC Japan: INDC Japan India: CAT Chile: MAPS (Government of Chile 2014) South Africa: Integrated Resources Plan 2010-2030 (Ministry of Energy 2011)				
Total national energy related CO <sub>2</sub> emissions in year x according to the 100% renewable pathway (E <sub>2C</sub> )	MtCO <sub>2</sub>	See section “ <i>definition of 100% renewable scenario</i> ”, below.				
Relationship between the reduction of the emissions of CO <sub>2</sub> and the emissions of air pollutants (for each specific country and scenario).	Factor	IIASA (IIASA 2012b) and WEO 2012				

\* PRIMES – EU Trends to 2050 (European Commission 2013); AEO – US Annual Energy Outlook 2014 (US EPA 2014); WEO – IEA World Energy Outlook 2014 (IEA 2014f); CAT – Climate Action Tracker (CAT 2015a); Canada NC6 – Canada’s Sixth National Communication (Government of Canada 2014)

Estimated emissions of SO<sub>2</sub> and NO<sub>x</sub> will be used as a proxy for the emissions of all the major air pollutants under consideration: primary PM, SO<sub>2</sub>, NO<sub>x</sub>, and NH<sub>3</sub>. This simplification recognises that emissions of SO<sub>2</sub> and NO<sub>x</sub> are highly influential to the production of secondary particulate matter, and assumes that the emissions of other air pollutants are reduced proportionally to SO<sub>2</sub> and NO<sub>x</sub>. A number of studies have applied such simplifications that assume uniform reductions of all these gases for the calculation of local outdoor air pollution, most notably the OECD 2050 Environmental Outlook (OECD 2011). Detailed data for SO<sub>2</sub> and NO<sub>x</sub> emissions is not available under all scenarios. Instead, the relationships between CO<sub>2</sub> emission projections and SO<sub>2</sub>/NO<sub>x</sub> projections were analysed for each individual country to produce an indicative factor that allows for the estimation of air pollutant emissions based upon CO<sub>2</sub> emissions, the data for which is readily available and more easily modelled under various scenarios.

In a first step, the urban atmospheric concentration of PM<sub>2.5</sub> is calculated:

$$\text{Mean exposure to PM}_{2.5} \text{ concentrations in year } x = \Delta E (G_{2012} - G_N) + G_N$$

$\Delta E$  represents the change in emissions of air pollutants that contribute to PM<sub>2.5</sub> concentrations, as a ratio of emissions in the calculation year and the base year, 2012. This formula is based on a simplification that assumes a linear decrease of PM<sub>2.5</sub> concentrations in line with reduced CO<sub>2</sub> emissions. This assumption is consistent with Bollen (2009).

Estimated background levels of PM<sub>2.5</sub> that are not attributable to anthropogenic emissions of pollutants ( $G_N$ ) are taken into consideration. Figure 46 shows how under the 100% renewable compatible scenario (which assumes a reduction to zero CO<sub>2</sub> emissions from energy by 2050), the atmospheric concentration of PM<sub>2.5</sub> reduces in linear fashion from its value in 2012 to the value of the background concentration in 2050. Other factors that determine the atmospheric concentration of PM<sub>2.5</sub>, such as weather conditions and geographical features, are assumed to remain constant.

Figure 46 also shows how the difference in the atmospheric concentration of PM<sub>2.5</sub> between the different scenarios can be determined.




Figure 46 Reduced air pollution under different scenarios

In a second step, the reduction of premature mortality can be calculated depending on the change of atmospheric concentration of PM<sub>2.5</sub> between scenarios (Bollen 2009; Fang et al. 2013; Public Health England 2014):

$$\begin{aligned} \text{Premature deaths from particulate air pollution} \\ = \text{Attributable factor (AF)} \times \text{Crude mortality rate} \times \text{Population} \end{aligned}$$

$$\text{Attributable factor} = \frac{\beta^G - 1}{\beta^G}$$

The attributable factor calculates the percentage of deaths which may be attributed to excessive PM<sub>2.5</sub> concentrations. In this equation,  $G$  is the concentration of the pollutant, as demonstrated by Figure 46, given in units of 10  $\mu\text{g}/\text{m}^3$ .  $\beta$  refers to the estimated factor of the log-linear relationship between the concentration of any given pollutant and the resulting mortality rate (concentration-response factor). Krewski et al. (2009) finds a 5.9% risk increase of premature mortality from all causes for every PM<sub>2.5</sub> concentration increase of 10  $\mu\text{g}/\text{m}^3$ . Therefore, the value 1.059 is used for the concentration response factor  $\beta$ , as per Fang et al. (2013) and Bollen (2009). It is common practice when calculating premature deaths from PM<sub>2.5</sub> concentrations to consider only the population over 30 years of age (Public Health England 2014).

This study does not use of a low concentration threshold (LCT). The use of an LCT assumes that below a certain level of PM<sub>2.5</sub> concentration, there is no effect on mortality. There is no general consensus on whether the use of an LCT is appropriate or not, due to the lack of empirical evidence that such a threshold does or does not exist. The use of an LCT of 5.8  $\mu\text{g}/\text{m}^3$  in this study would only marginally change the results for China, but it would reduce the number of calculated deaths in the EU and the U.S. in 2012 by around 40%.

### Defining the 100% renewable compatible scenario

The 100% renewable scenario is estimated by using the projections for total energy demand from the WEO 450 scenario, which incorporates policies including EE measures that reduce energy consumption in line with the international 2°C goal, multiplied by a decreasing emissions intensity. We assume a decrease to zero emissions intensity of the energy sector in all countries by 2050. It is further assumed that all countries reach this specific target in 2050 and not before. The emissions intensity of energy is calculated for 2012 based on historical demand and emissions data from WEO (IEA 2014f) and the Climate Action Tracker (CAT 2015a).

### Specific assumptions and considerations

The following list provides an overview of the specific assumptions made and noteworthy considerations for the calculation of premature deaths from air pollution for the U.S., China, the EU, Canada and Japan.

- Average PM<sub>2.5</sub> concentrations are assumed to be linearly related to air pollutant emissions, such that a halving of emissions causes a halving of the anthropogenic component of PM<sub>2.5</sub> concentrations.
- It is assumed that reductions in sulphur dioxide (SO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>) are accompanied by reductions of the same scale in primary PM and ammonia (NH<sub>3</sub>).
- It is assumed that the relationship between projected emissions of CO<sub>2</sub>, SO<sub>2</sub> and NO<sub>x</sub> under various scenarios according to IIASA can be extrapolated to estimate SO<sub>2</sub> and NO<sub>x</sub> emissions according to modelled CO<sub>2</sub> emissions under different scenarios.
- It is assumed that the premature death response rate is linearly related to the concentration of PM<sub>2.5</sub> ((Fang et al. 2013; Bollen 2009; Public Health England 2014))
- The 100% renewable pathway assumes a decrease to zero emissions intensity of the energy sector in all countries by 2050. It is further assumed that all countries reach this specific target in 2050 and not before. Trends for overall fuel demand are taken from the WEO 450 scenario, which incorporates policies including EE measures that reduce energy consumption in line with the international 2°C goal.
- Comprehensive and reliable data for average ambient PM<sub>2.5</sub> concentrations is not available in all areas. Furthermore, the spatial and temporal variations of PM concentrations are so large in some territories, particularly in China, that the mean data should be treated with caution regarding its precision.
- As explained in the methodology, this study assumes no low concentration threshold (LCT). There is a lack of empirical evidence for or against the use of a LCT.

- The selection of natural background PM2.5 concentrations is based on the literature, and approximate values are estimated based upon the likely range given within the literature sources reviewed. The precision of this input data cannot be guaranteed due to the generally limited availability of such data in all countries, but adjustments made to this input variable within the identified ranges produce only marginal changes in the final results.
- For Canada, background concentration of PM2.5 is assumed to match that of the US. This is in line with the fact that background PM2.5 is accounted for mostly by regional emissions and geographical features.
- Whilst reliable data could be sourced for the average ambient concentration of PM2.5 in Japan, data could not be found to show what proportion of this concentration was attributable to background sources which could not be reduced through domestic climate change mitigation measures. Instead, the average figure for this data across the EU, China and the US, was taken. This has only a minor effect on the rate at which more ambitious scenarios translate to a reduction in premature deaths.
- Canada, INDC scenario: Canada stated that it would use forestry accounting and international credits to partially meet the INDC. For forestry accounting, we assume 63 MtCO<sub>2e</sub> in 2030 based on analysis from the Climate Action Tracker (Climate Action Tracker, 2015). For international credits we assume that these will account for 1/3 of the net reductions in the energy sector, i.e. 68 MtCO<sub>2e</sub>. As effect of both, the energy sector is assumed to reduce its emissions by less than 30%.
- Canada, determination of energy related emissions in 2030 under 100% renewable scenario: The trends in total energy demand, between 2012 and 2030, are assumed to follow the trend for the United States according to the 450 scenario of the 2014 World Energy Outlook.
- Canada, determination of air pollutant emissions: The relationship between the emissions of energy related CO<sub>2</sub> and the air pollutants SO<sub>2</sub> and NO<sub>x</sub>, are assumed to follow the trend for the United States, according to IIASA 2012.
- India, INDC scenarios: Energy sector emissions under the INDC scenarios are based on Climate Action Tracker analysis of current policies and the impact of the INDC's 40% non-fossil fuel electricity generation capacity target (CAT 2015a). It is assumed that the additional renewable energy capacity, compared to the current policies scenario, is based on new wind and solar installations, rather than additional nuclear capacity.
- India, Background Particulate Matter 2.5: Due to data limitations on the origin of PM 2.5, and based upon observable trends and country factors, it is assumed that the background concentration of PM 2.5 for India would be slightly less than that estimated for China, and so a value of 8 ug/m<sup>3</sup> was assigned. The estimated background concentration could range between 6 and 10 ug/m<sup>3</sup>, without having a significant impact on the rounded results.
- Chile, INDC scenarios: We used the published INDC (Government of Chile 2015) and the results of the MAPS analysis (Government of Chile 2014) as a basis: the MAPS scenario "esfuerzo alta" is assumed the most likely construction for the upper limit of the conditional target of the INDC, given that the final emissions outcome is very similar. For the conditional target of the INDC, a scenario was constructed based on the "esfuerzo base" MAPS scenario.

## Green jobs from renewable energy

### Defining the indicator and scope

This section outlines a methodology to determine the impact on employment from the installation of wind, solar and hydro renewable electricity capacity. We use the employment factor approach to quantify direct job creation during two phases of the life cycle, a) manufacturing, construction and installation (MCI) and b) operation and maintenance (O&M). Jobs more broadly related to renewable energy through other phases of the cycle, including research, technological development, consultation, project development, and project evaluation, are not included in the scope of this study. Furthermore, this study only determines the impact

on employment of the domestically installed capacity; jobs created through renewables export industry are not included.

This approach is a first approximation of the effect on green jobs. The focus is only on the creation of 'decent green jobs'. For the purpose of this study, we adopt a definition of green jobs provided by ILO(2013a):

*Green jobs are decent jobs that contribute to preserving and restoring the environment, be they in traditional sectors such as manufacturing and construction, or in new, emerging green sectors such as renewable energy and energy efficiency. Green jobs reduce consumption of energy and raw materials; limit greenhouse gas emissions; minimize waste and pollution; protect and restore ecosystems; and enable enterprises and communities to adapt to climate change.*

Accordingly, the methodology does not take into account that jobs may be lost elsewhere through reduced use of fossil fuels or shift of economic activity towards renewables away from other potential activities.

**Calculation methodology**

According to the International Renewable Energy Agency (IRENA 2014a) mayor gaps remain in the generation of data on employment in the renewable energy sector. The main reason for this is that due to the cross-cutting nature of the sector, information is difficult to capture in standard national statistics. To date, only a few countries are collecting relevant data on renewable energy jobs. Relatively detailed data is available only for the United States and several European countries. Better harmonisation of data reporting categories is necessary to improve the quality and comparability of employment data.

In most cases, employment figures are derived from various sources, using heterogeneous methods, assumptions and time frames, which makes comparison of data difficult. One way around this is to use sensitivity analysis to test key data sources and assumptions.

**Output indicators**

Table 9 presents the output indicators that will be produced from this methodology.

Table 9 Output indicators for reduced air pollution

Indicator	Unit
Jobs for the construction and installation of hydro, wind and solar electricity installations.	Integer
	Percentage change
Jobs for the maintenance and operation of hydro, wind and solar electricity installations.	Integer

**Method of calculation**

To evaluate the impact of an increase in renewable energy and energy efficiency measures on job creation, we follow (IRENA 2014a) and apply the employment factor approach. The method is the least resource-intensive method for assessing direct job creation and is based on data for:

- Installed capacities for specific renewable electricity technologies
- Employment factors per unit of installed capacity

Employment factors indicate the number of full-time equivalent (FTE) jobs created per unit of installed capacity. The employment factors are derived in the literature from the following simplified calculation:

Renewable energy

$$Employment\ factor_{RE} = Jobs\ created_{RE} / Installed\ capacity\ (MW)$$

A secondary literature review was carried out to collect employment factors from the most relevant sources on this topic. This allows us to get an idea on data ranges and the uncertainty of results.

For the estimation of job creation in renewable energy deployment, the employment factor approach uses different factors for different phases of the life cycle. We consider two phases: a) manufacturing, construction and installation (MCI) and b) operation and maintenance (O&M). These two phases are considered in most of the available secondary literature on employment generation in the renewable energy sector. Table 10 presents employment factors for the OECD and the US. According to Rutovitz & Harris (2012), a regional multiplication factor of 2.6 on the OECD figures is required for China before 2015, and approximately 1.3 in 2030.

Table 10 Employment factors for the renewable energy sector from various studies

Technology	MCI (Jobs per newly installed MW)	O & M (Jobs per MW)	Region	Year of estimation
Wind, onshore	8.6	0.2	OECD countries (Average values)	Various (2006-2011)
	12.1	0.1	US	2010
Wind, offshore	18.1	0.2	OECD countries (Average values)	2010
Solar PV	17.9	0.3	OECD countries (Average values)	Various (2007-2011)
	20.0	0.2	US	2011
Hydro, large	7.5	0.3	OECD countries (Average values)	Various
Hydro, small	20.5	2.4	OECD countries (Average values)	Various
Geothermal	10.7	0.4	OECD countries (Average values)	Various

Source: (Rutovitz & Harris 2012)

To estimate the total number of direct jobs under the current policies, INDC and 100% renewable scenarios, employment factors are multiplied by the calculated renewable energy capacity for each technology type (onshore wind, offshore wind, solar PV, small hydro, and large hydro).

Table 11 presents the required data inputs for the calculation of the co-benefit in any given year.

Table 11 Data input to calculate employment generation

Indicator	Unit	Source*
Installed capacity per technology (current policies)	MW	EU: PRIMES; EU Impact Assessment US: AEO 2014 China: WEO 2014 Canada: Canada NC6 Japan: WEO 2014 India: NITI (2015) South Africa: WEO 2014 Chile: MAPS (Government of Chile 2014)
Installed capacity per technology (INDC scenario)	MW	EU: PRIMES; EU Impact Assessment US: Author calculation/assumption China: CAT Canada: Author calculation/assumption from public INDC Japan: Japan's public INDC India: Author calculation/assumption South Africa: Author calculation/assumption Chile: MAPS (Government of Chile 2014)
Installed capacity per technology (100% renewable scenario)	MW	See <i>defining the 100% renewable scenario</i> , below.
Domestic power demand	MWh	EU: PRIMES, EU Impact Assessment US: AEO 2014 China: Extrapolation from WEO 2014 Canada: Canada NC6 Japan: WEO 2014 India: WEO 2014 South Africa: WEO 2014 Chile: APERC (2009)
Capacity factors of renewable tech.	MWh per MW	EU: Derived from PRIMES (European Commission 2013) Other countries: Derived from WEO 2014
Employment factor per tech. and activity	Jobs/MW	Rutovitz & Harris (2012)

\* PRIMES – EU Trends to 2050 (European Commission 2013); AEO – US Annual Energy Outlook 2014 (US EPA 2014); WEO – \*: IEA World Energy Outlook 2014 (IEA 2014f); CAT – Climate Action Tracker (CAT 2015a); Canada NC6 – Canada's Sixth National Communication (Government of Canada 2014); Japan draft INDC (Government of Japan 2015)

Figure 47 shows how the difference between the number of jobs under each scenario will be determined.




Figure 47: Green jobs created under different scenarios

## Defining the 100% renewable compatible scenario

The 100% renewable pathway for this indicator is based upon a linear development from today's installed renewable capacity to 100% renewables in the electricity sector by 2050. The total capacity of each renewable energy technology required in 2050 is calculated according to the total forecast electricity demand in 2050, divided by the assumed capacity factors of each renewable energy technology. The proportional split of each technology is based upon the proportional split calculated for 2030 in the INDC scenario. The capacity factors for each technology are taken from those implied by the 2050 reference scenario for the EU (European Commission 2013).

## Specific assumptions and considerations

- The data for 2030 under the US current policies scenario is taken as the midpoint between the 2025 and 2035 data in the US Annual Energy Outlook.
- The US INDC scenario is modelled based upon the 2013 President's Climate Action Plan (Executive Office of the President 2013). The plan entails a doubling of renewable capacity between 2012 and 2020. The rate of capacity installation up to 2020 was extrapolated to 2030.
- The 100% renewable scenario assumes that all countries arrive at 100% renewables in the electricity sector in 2050 exactly, and not before.
- It is assumed that the proportional split of renewables in the electricity energy system in 2050 (under a 100% renewable energy system) will be equal to the proportional split of renewables in 2030, according to the INDC scenario. This assumption overlooks the possibility that specific types of renewables may reach the limit of their resource potentials, requiring a larger share from other types of renewables in a 100% renewable system.
- It is assumed as a simplification, that a 70:30 split will exist between onshore and offshore wind generation in 2050 for all countries. This split is in line with the global forecast of the IEA Wind Roadmap (IEA 2013).
- It is assumed as a simplification, that a 09:91 split will exist between small and large hydro generation in 2050 for all countries. This split is in line with the current global trend (REN21 2014).
- Capacity factors for renewable technologies in 2050 are taken from the implied forecast capacity factors in the PRIMES model (European Commission 2013). In this model, the amount of energy generated per unit capacity of renewables is larger in 2050 than in 2010, due largely to technological advances and the more advantageous placements of installations. Through this methodology, the total generation capacity required in each country under the 100% scenario is calculated to be around one third larger than in the reference scenarios.
- A multiplication factor of 1.3 is applied to the employment factor of the OECD for China in 2030. This is an extrapolation of data from Rutovitz & Harris (2012), which indicates a factor of 1.9 in 2020 and 1.0 in 2035.
- Canada, Projections for future energy generation: The trends for total electricity generation, between 2012 and 2030, are assumed to follow the trend for the United States according to the 450 scenario of the 2014 World Energy Outlook.
- The respective share of each technology for total renewable power generation in 2050 in Canada, is assumed to be constant with the share of each renewable envisaged by 6th National Communication for 2030.
- Japan, INDC scenario: It is assumed that Japan reaches the upper range (24%) of its anticipated target for 22% to 24% renewables under the anticipated INDC.
- Japan, current policies: Whilst the growth rate in renewable capacity under current policies was taken from the World Energy Outlook (IEA 2014), the share of renewables accounting for this total capacity was adjusted according to the respective shares envisaged under the INDC, which is considered a more likely reflection of a current policies trajectory.



- Japan, 100% renewable scenario: Based upon observable trends between 2000 and 2010, as well as forecasts up to 2030, it is assumed that the total installed capacity of hydro power in the energy system will not continue to increase at the same rate as other renewables. For this reason, it is assumed in the calculations that the 2050 energy mix will be based upon a plateau of the total installed capacity of hydro power shortly after its forecast value under the anticipated INDC scenario in 2030, whilst the remainder of the energy supply will be met by other renewable technologies, the respective shares of which will remain constant according to those projected under the INDC scenario for 2030.
- It is assumed that the capacity load factor for solar PV in Japan is the same as used for the EU (reference scenario in the PRIMES model), due to the similarity of the EU and comparability of the results across regions / countries.
- India, INDC scenarios: Energy sector emissions under the INDC scenarios are based on Climate Action Tracker analysis of current policies and the impact of the INDC's 40% non-fossil fuel electricity generation capacity target (CAT 2015a). It is assumed that the additional renewable energy capacity, compared to the current policies scenario, is based on new wind and solar installations, rather than additional nuclear capacity.
- India, Share of renewable technologies under a 2°C scenario in 2050: It is assumed that the respective share of each renewable energy technology for total renewable energy generation in 2050 will be the same as the projected for the country in the Climate Action Tracker analysis (CAT 2015a). However, we assume a maximum technical potential for hydropower of 149 GW, after which the share of other renewable energy technologies will increase proportionally to make up for lack of additional hydropower capacity.
- India, Electricity generation projections (TWh): Projections for electricity generation in India were based on a national study on energy efficiency and energy mix (NITI Aayog 2015). The contribution of renewable energies for projected electricity generation was only given as a whole, therefore the share for each renewable was calculated based on the projected energy mix (GW) given by the same report.
- India, load factors: It is assumed that the capacity load factor for renewable energy technologies in various years will be the same as those indicated for India in the World Energy Outlook projections (IEA 2014f).
- South Africa, Share of renewable technologies under a 2°C scenario in 2050: It is assumed that the respective share of each renewable energy technology for total renewable energy generation in 2050 will be the same as in the current policies plan for 2030, according to the 2010-2030 Integrated Resources Plan for Electricity (Ministry of Energy 2011), whilst the overall share of renewable energy in the total electricity mix rises 100%.
- Chile, INDC scenarios: We used the published INDC (Government of Chile 2015) and the results of the MAPS analysis (Government of Chile 2014) as a basis: the MAPS scenario "esfuerzo alta" is assumed the most likely construction for the upper limit of the conditional target of the INDC, given that the final emissions outcome is very similar. For the conditional target of the INDC, a scenario was constructed based on the "esfuerzo base" MAPS scenario.
- Chile, Share of renewable technologies under a 2°C scenario in 2050: It is assumed that the respective share of each renewable energy technology for total renewable energy generation in 2050 will be the same as in the most ambitious scenario (conditional INDC – MAPS esfuerzo alto) for 2030, whilst the overall share of renewable energy in the total electricity mix rises to 100%.
- Chile, Electricity generation projections: Projections for electricity demand in Chile were only available up to 2030. These were extrapolated to 2040, and again to 2050, based on trends for electricity demand in the Latin American region, according to the World Energy Outlook (IEA 2014f).
- Chile, It is assumed that the capacity load factor for renewable energy technologies is the same as the average load factors achieved in the region "Latin America excl. Brazil", according to World Energy Outlook projections (IEA 2014f).



**NewClimate Institute**

Am Hof 20-26  
50667 Cologne  
Germany

T +49 (0) 221 999833-02  
F +49 (0) 221 999833-19  
E [info@newclimate.org](mailto:info@newclimate.org)

[www.newclimate.org](http://www.newclimate.org)